UWS Academic Portal

Visualizing risks in cancer communication

Stellamanns, Jan; Ruetters, Dana; Dahal, Keshav; Schillmoeller, Zita; Huebner, Jutta

Published in:
Patient Education and Counseling

DOI:
[10.1016/j.pec.2017.02.003](https://doi.org/10.1016/j.pec.2017.02.003)

E-pub ahead of print: 06/02/2017

Document Version
Peer reviewed version

[Link to publication on the UWS Academic Portal](#)

Citation for published version (APA):
Stellamanns, J., Ruetters, D., Dahal, K., Schillmoeller, Z., & Huebner, J. (2017). Visualizing risks in cancer communication: A systematic review of computer-supported visual aids. *Patient Education and Counseling*, 100(8), 1421-1431. <https://doi.org/10.1016/j.pec.2017.02.003>

General rights

Copyright and moral rights for the publications made accessible in the UWS Academic Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact pure@uws.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Title: Visualizing risks in cancer communication: A systematic review of computer-supported visual aids.

Author names and affiliations:

1. Jan Stellamanns ^{a b c}, stellamanns@krebsgesellschaft.de
^a Deutsche Krebsgesellschaft (German Cancer Society); Kuno-Fischer-Straße 8; 14057 Berlin; Germany
^b Department Health Sciences; Hamburg University of Applied Sciences (HAW Hamburg); Ulmenliet 20; 21033 Hamburg; Germany
^c School of Engineering and Computing; University of the West of Scotland (UWS); Paisley; PA1 2BE Scotland; UK
2. Dana Ruetters ^a, ruetters@krebsgesellschaft.de
^a Deutsche Krebsgesellschaft (German Cancer Society); Kuno-Fischer-Straße 8; 14057 Berlin; Germany
3. Keshav Dahal, PhD ^{c d}, Keshav.Dahal@uws.ac.uk
^c School of Engineering and Computing; University of the West of Scotland (UWS); Paisley; PA1 2BE Scotland; UK
^d Nanjing University of Information Science and Technology (NUIST), Nanjing, China
4. Zita Schillmoeller, PhD ^b, zita.schillmoeller@haw-hamburg.de
^b Department Health Sciences; Hamburg University of Applied Sciences (HAW Hamburg); Ulmenliet 20; 21033 Hamburg; Germany
5. Jutta Huebner, PhD ^a, huebner@krebsgesellschaft.de
^a Deutsche Krebsgesellschaft (German Cancer Society); Kuno-Fischer-Straße 8; 14057 Berlin; Germany

Corresponding author Jan Stellamanns at
Deutsche Krebsgesellschaft e.V. (German Cancer Society)
Kuno-Fischer-Straße 8
14057 Berlin
Tel.: + 49 30 322932-90/ Fax: + 49 30 3229329-66
Germany

Abstract:

Objective: Health websites are becoming important sources for cancer information. Lay users, patients and carers seek support for critical decisions, but they are prone to common biases when quantitative information is presented. Graphical representations of risk data can facilitate comprehension, and interactive visualizations are popular. This review summarizes the evidence on computer-supported graphs that present risk data and their effects on various measures.

Methods: The systematic literature search was conducted in several databases, including MEDLINE, EMBASE and CINAHL. Only studies with a controlled design were included. Relevant publications were carefully selected and critically appraised by two reviewers.

Results: Thirteen studies were included. Ten studies evaluated static graphs and three dynamic formats. Most decision scenarios were hypothetical. Static graphs could improve accuracy, comprehension, and behavioural intention. But the results were heterogeneous and inconsistent among the studies. Dynamic formats were not superior or even impaired performance compared to static formats.

Conclusions: Static graphs show promising but inconsistent results, while research on dynamic visualizations is scarce and must be interpreted cautiously due to methodical limitations.

Practice Implications: Well-designed and context-specific static graphs can support web-based cancer risk communication in particular populations. The application of dynamic formats cannot be recommended and needs further research.

Keywords: Visual aids, visualization, risk communication, Internet, medical decision-making, Neoplasms, Cancer

1. Introduction

1.1. Informed decision-making and cancer risk communication

Crucial medical decisions arise throughout the cancer continuum and are demanding. Each phase comes with specific challenges: In prevention, the risk of developing cancer may occur in the distant future, while the possible benefits and harms of upcoming treatments are imminent for cancer patients. A full understanding of all benefits, risks, uncertainties and alternative courses is the ideal to make an informed decision [1,2]. Besides the physical and psychosocial burden of the disease, individuals affected by cancer are prone to common interpretation problems and biases. When it comes to comprehension and interpretation of relevant quantitative information, distortions by framing effects, ambiguity aversion, ratio biases, and other kinds of cognitive biases can interfere [3–5]. Cancer patients and their carers must deal with uncertainty in its various conceptualizations: Uncertainty regarding future events, validity of evidence, and complexity of risk information and models, and uncertainty about the personal significance [6–8]. Furthermore, numeracy has a major influence on people's ability to process quantitative information and to interpret accurately medical data based on their risk knowledge and perception; consequent disadvantages are associated with low numeracy skills [9–13]. For example, the majority of respondents overestimate the benefits of breast cancer and prostate cancer screening programs, while they underestimate the harms [14,15].

These problems in medical risk communication are well known and have been tackled. Recommendations to overcome misinterpretation and to improve informed decision-making are available, e.g. the presentation of absolute rather than relative risk, natural frequencies rather than percentages, and others. One common strategy is the application of visual aids [2,16–20].

1.2. Decision aids, visual aids and visualizations in cancer communication

Visual aids have a long history in the communication of risks [21,22]. They can facilitate communication of statistical data and can enhance comprehension through various modes: By revealing patterns and trends, depicting proportions and part-to-whole relationship, supporting mental processing of information, catching attention with an attractive design, improving the transparency of risk information, attenuating common biases, and increasing accurate data recall [23–26]. Common graphical formats include icon arrays, bar charts, pie

charts, risk scales or ladders, and line graphs [27]. Besides risks of a disease, side effects of a therapy, and probabilities of survival, visual aids are also utilized to represent other data formats like patient-reported outcomes or the performance of health care providers [28–30].

Persons with low numeracy skills may benefit from visual aids, although this effect is not consistently observed [31–33]. Further graphic literacy plays a crucial role for the understanding of graphical displays [34–36]. Some reviews criticise the atheoretical approaches of most visual aid research [13,18,23]. Current research in medical decision-making and in visual aid research is focussing on dual-process models like the fuzzy-trace theory [34,37–39]. Albeit the common acceptance of visual data displays, the International Patient Decision Aid Standards (IPDAS) Collaboration and other authors emphasize cautious application because poorly designed and incorrect graphs can still bias risk communication [13,24].

Compared to visual aids, the evidence concerning decision aids is more robust. Regarding treatment and screening decisions in cancer and in non-malignant diseases, decision aids improve choice-made attributes, decision-making process attributes, patient-practitioner communication and result partly in a more satisfactory decision-making [40–42].

The IPDAS Collaboration also recommends interactive web-based formats, again emphasizing cautious employment because of the preliminary evidence [13]. Information visualizations are defined as interactive visual representation of data on computer-supported tools, thus they can be considered as a key component recommended by the IPDAS Collaboration [43]. They are supposed to improve communication of quantitative information and to provide insight into data [22,44]. Data visualizations are appraised as innovative Internet measures for cancer communication [45]. While visualizations are applied in a wide range of professional health communication contexts, scarce evidence and contradictory findings prevail in the communication to lay people [46–48].

1.3. Cancer information seeking in the Internet

Health professionals are the main source of information for cancer patients [49,50]. But in the last two decades, the importance of the Internet as a source of information has increased. About a third of information seekers, which are mostly young women, use

Internet information as an aid to decide whether to visit a health professional or not, and about a quarter for the preparation of an appointment [51]. Other motives include having easy access, gaining information, and asking for a second opinion and reassurance [52]. While the usage differs among countries, there is a steady and consistent rise in European countries [53,54].

About 40-50% of breast cancer and other oncology patients turn towards the Internet to find information, mostly those with a better education and higher income [55–58]. Cancer patients want accurate, comprehensible, comprehensive, and high quality information from online sources. Because trustworthiness regarding the quality of information is an issue, patients like to be referred to them by their physician or healthcare team [58,59]. Searching for and sharing cancer information from the Internet can improve doctor-patient communication, increase active decision-making and is associated with higher satisfaction [60,61]. But cancer patients may experience difficulties. About a third of women report information to be mistakable, intimidating or confusing [57].

Confusion can arise from misunderstanding of statistical information. The transformation of information and communication technologies offers unique opportunities for cancer communication. Risk information can be conveyed more specific and customized to different target groups, can be shared easier, and can engage participation [62]. Visual aids and visualizations can be beneficial tools to enhance understanding and transparency of quantitative cancer information [22].

This review summarizes the evidence regarding the efficacy or effectiveness of computer-supported visual aids and visualizations depicting quantitative information in cancer risk communication.

2. Methods

2.1. Search strategy

The search was carried out in August 2015. The search results were managed with EndNote X7. Literature databases were investigated via EBSCO and OVID search hosts. For the inclusion of databases, their descriptions were screened for relevance by the provided subject title and coverage lists. The EBSCO search included the following databases: Health

Source: Nursing/Academic Edition, Library, Information Science & Technology Abstracts, MEDLINE, Psychology and Behavioral Sciences Collection, PsycINFO, CINAHL and ERIC. The EMBASE database was searched via OVID. Additionally, the IEEE Xplore Digital Library was investigated. The finally included publications were evaluated for relevant references.

The initial search terms were derived from a prior thesis review, the German Cancer Society oncological database project and other relevant reviews [25,40,42,46]. Terms defining the condition of the target group (e.g. cancer, neoplasm), the intervention (e.g. web-based visual aid, information visualization) and the study design were combined. The search string integrated relevant subject headings and keyword search in the title and abstracts. Search strategies and subject headings were adapted for each database. The specified search strategies are provided in the supplementing material.

2.2. In- and exclusion criteria

The search was restricted to publications in English language, to human subjects, and peer-reviewed journals with controlled study design. No restrictions were made in regard to the date of the publications, and to the control condition or any specific outcomes. Publications were included if (a) the target groups were composed of patients or lay people; (b) the intervention was a computer-supported visual aid or visualization presenting quantitative cancer data; (c) the purpose of the intervention was cancer communication or decision support and (d) the publication provided any kind of quantitative evaluation.

2.3. Selection process

For the selection of publications by title and abstract or full text the www.covidence.org platform was utilized. This online tool supports the execution of systematic reviews. The first (JS) and second author (DM) selected publications independently according to the defined criteria. In case of insufficient information, the full text was obtained and analysed. When the intervention was not properly described, the authors were contacted for additional information. Discrepancies in the selection were solved by discussion. Most excluded publications concerned the intervention (e.g. complex interventions without a specific

evaluation, graphic not data-based or not computer-supported). Figure 1 depicts the selection process.

Figure 1: Flowchart of literature search and selection

2.4. Quality appraisal

The risk of bias was assessed according to the Cochrane risk of bias tool. The Cochrane Collaboration's tool for assessing risk of bias is comprised of six items to assess the risk of

selection, performance, detection, and reporting bias [76]. DR and JS carried out the quality assessment independently. Conflicting issues were solved by discussion.

2.5. Data extraction

The relevant publication data were extracted in a summary table. The pre-defined categories were first author, year of publication, sample size, age and gender, country, way of recruitment, type of cancer, description of intervention, description of control condition, outcome measures, summary of results, and risk of bias according to the Cochrane risk of bias tool. JS extracted the data, and DR controlled the data for accuracy. Because the designated outcome measures were foremost heterogeneous and inconsistent, some were grouped for summary purposes based on the underlying instrument items, where it seemed appropriate. For example, any measures of subjective assessment are labelled as rating.

Table 1: Summary of included studies about computer-supported visual aids in cancer communication

Author Year	Sample characteristics <i>Sample size</i> <i>Age (years)</i> <i>Gender (f)</i>	Country/ Recruitment	Type of cancer	Description of intervention	Description of control condition	Outcome measures	Summary of relevant results	Risk of bias				
								Selection 1	Selection 2	Detection	Attrition	Reporting
Cameron 2012 [63]	749 Mean 26.8 65%	AUS, NZ, UK, US, other University (staff & student)	Colon cancer	Icon arrays (humanoid, 5x20), static	Numeric text	Behavioral choice/intention (diet, gene test, pay), comprehension, efficacy beliefs, perceived risk	No effects	?	?	?	↓	↓
Cox 2010 [64]	522 ≥ 18 100%	USA Online panel	Cervical cancer (HPV prevention)	Icon arrays (stadium seats, absolute numbers), static Numeric text	No statistics	Behavioral choice/intention, comprehension, HPV-health beliefs/ severity of infection, vaccination vulnerability/ efficacy/ obstacles, need for internal consistency, numeracy	Behavioral choice/intention (vaccination) higher with icon arrays (53% vs. 41% vs. 37%, p=0.01) Interaction of intervention x rhetorical questions moderates comprehension (p=0.006)	↓	↓	?	↓	↓
Cox 2014 [65]	320 ≥ 30 100%	USA Online panel	Cervical cancer (HPV prevention)	Icon arrays (stadium seats, absolute numbers), static	Numeric text	Behavioral choice/intention, perceived comprehension, HPV-health beliefs/ severity of infection, vaccination safety / efficacy/ obstacles	Perceived comprehension higher (M=5.8 vs. 5.52, p=0.025) Interaction of intervention x anticipated regret questions moderates behavioural choice/intention (p=0.016)	↓	↓	?	↓	↓
Feldman- Stewart 2000 [66]	159 (36/72/12/12) - -	CA University (36 students) Hospital (96 patients)	Cancer, not specified	Icon arrays (ovals, 10x10, systematic vs. random), pie charts, bar charts (vertical vs. horizontal), all static	Numeric text	Accuracy (gross level-/ detailed-information), preferred format rating	Accuracy (gross-level) mostly higher with vertical bar chart Accuracy (detailed) higher with numeric format and systematic icon arrays Lowest accuracy scores with random icon arrays and pie charts	?	?	?	?	↓
Han 2011 [67]	375 (240/135) Mean 52/54 50%/ -	USA Online panel	Colorectal cancer	Bar charts (horizontal, strict edge=point estimate vs. blurred edge=confidence interval), static	Numeric text	Perceived risk, risk-related worries, perceived credibility, dispositional optimism, numeracy	No main effects Interaction of intervention x ambiguity (strict vs. blurred edges) moderates perceived risk (p=0.003) and risk-related worries (p=0.05); not confirmed in 2nd experiment	?	?	?	?	↓
Han 2012 [68]	225 Mean 53	USA Online panel	Colorectal cancer	Icon arrays (humanoid, 10x10, systematic vs.	Numeric text (non- random vs. random)	Perceived risk, risk-related worries, subjective uncertainty, dispositional	Subjective uncertainty higher with animated random icon arrays than with random text (M=2.7 vs. 2.1,	?	↓	?	?	↓

	46%			random), static/animated		optimism	p=0.02), but not with static icon arrays						
Waters 2007 [69]	4.248 Mean 42.5 68.9%	USA Online	Stomach or colon cancer	Bar charts (vertical), icon arrays (humanoid, 10x10), static	Numeric text	Behavioral choice/intention, numerical accuracy	Behavioral choice/intention highest with icon arrays, numbers only superior to bar graph (49.4% vs. 44.9% vs. 41.5%, p<0.01) Accuracy higher with both graphic formats, highest with icon arrays (68.2% vs. 64,3 vs. 61.5%, p<0.001)	↓	↓	?	↓	↓	
Waters 2007 [70]	5.251 Mean 45.4 56.6%	USA Online	Stomach or colon cancer	Bar charts (vertical), icon arrays (asterisk, circles/ humanoid, 10x10), static	Numeric text	Behavioral choice/intention, numerical accuracy, subjective interpretation	No effects	↓	↓	?	↓	↓	
Zikmund- Fisher 2008 [71]	1.619 Mean 54.5 100%	USA Online panel	Breast cancer	Icon arrays (rectangles, 10x10) static, 4 vs. 2 options Bar charts, static, 2 options	Bar chart (horizontal) 4 options (used by Adjuvant!)	Numerical accuracy, task time, rating, numeracy	2-option icon arrays superior and 4- option bar charts worst: Accuracy (77.2% vs. 51.1%, p<0.001) Task time (28 vs. 42 sec., p<0.001) Rating (M=7.67 vs. 6.88, p<0.001)	↓	↓	?	↓	↓	
Zikmund- Fisher 2008 [72]	631 Mean 59 100%	USA Healthcare organizations	Breast cancer	Icon arrays (rectangles, 40x25) static	Numeric text	Perceived risk, gist knowledge, numeracy	No main effect Interaction of intervention x incremental risk (p<0.001)	?	?	?	↓	?	
Zikmund- Fisher 2010 [73]	1.552 (838/714) Mean 54.7 100%	USA Online panel	Breast cancer	Icon arrays presenting only- survival-data (rectangles, 10x10) static	Icon arrays presenting multiple- outcome-data (rectangles, 10x10) static	Numerical accuracy, behavioural choice/intention, cognitive effort, rating, numeracy	Accuracy (1 of 3 questions) higher (62.7% vs. 49.7%, p<0.001) Treatment intention less likely (43.1% vs. 50.3%, p=0.04) Rating higher (M=7.98 vs. 7.68, p=0.04) 2nd experiment replicated intention and rating, but not accuracy results	?	?	?	↓	↓	
Zikmund- Fisher 2011 [74]	2.426 Mean 49.1 50%	USA Online panel	Thyroid cancer	Icon arrays (rectangles, 10x10), interactive	Icon arrays (rectangles, 10x10), static	Choice accuracy, gist knowledge, burden (task time, break-off), numeracy	Higher dropout rate (23.1 vs. 3%, p<0.001) and more time spent (52 vs. 155 seconds, p<0.001) Choice accuracy lower (1 of 3 conditions; 51.6% vs. 43.8%, p=0.03)	?	?	?	↑	↓	
Zikmund- Fisher 2012 [75]	4.198 Mean 49.1 53.8%	USA Online panel	Thyroid cancer	Icon arrays (rectangles, 10x10, systematic vs. random), animated	Icon arrays (rectangles, 10x10 systematic vs. random), static	Choice accuracy, gist knowledge, rating, numeracy	Choice accuracy and gist knowledge lower with animated, random icon arrays and high numeracy (multi- comparisons) Rating lower for random vs. systematic graphs (multi-	?	?	?	↑	↓	

							comparisons)					
--	--	--	--	--	--	--	--------------	--	--	--	--	--

Selection 1 = Random sequence generation; Selection 2 = Allocation concealment; ? = risk unclear; ↑ = risk high; ↓ = risk low

3. Results

3.1. Characteristics of the included studies

The publication dates range from 2000 to 2014. All studies were carried out in North America including one international study that additionally included participants from Australia, New Zealand and the United Kingdom [63]. The procedures were always web-based except for one study where the participants were invited for a computer-supported experiment [66]. This study was also exceptional because actual cancer patients were included. One other study applied a none-hypothetical scenario in a prevention context: Women from two health organizations with an elevated breast cancer risk were provided with information about a preventive medication [72]. The remaining publications utilized hypothetical scenarios concerning a range of cancer types and contexts.

In one experiment, students were recruited via University channels and in another also at a hospital [63,66]. Besides, all other participants were invited via websites or professional online panels. The participants were youngest in the University with a mean age of 26.8 years [63]. The mothers in two other trials with a preventive intention were prevalingly young in their thirties or early forties [64,65]. Otherwise, mean ages ranged from 42.5 to 59 years.

All studies applied a randomized, factorial experimental design, adding more than one factor in regard to the graphical design (e.g. systematic vs. random patterns) or to non-graphical factors like rhetorical questions. Only main effects and interactions regarding the research question are reported in this review.

The graphic format that was most often depicted was a grid of icon arrays. The icons shown ranged from simple ovals, rectangles to humanoid shapes or stadium seats. The icon pattern was mostly a symmetric 10 by 10 grid with icons ordered systematically or randomly. Other formats were bar charts and pie charts. Most icons and graphs were coloured. Almost all graphics were static, and only three studies investigated the effects of dynamic features [68,74,75]. Most control conditions were numbers presented in a text. In some cases, graphics were compared to each other by certain characteristics (e.g. static vs. interactive).

Two outcome domains dominated the evaluation measures: (1) The intention whether to take an action or behaviour like vaccination or a treatment, and (2) the accurate estimation or reproduction of a numerical value. Common participants were requested to rate the intervention. Other measures were more specific and included comprehension, credibility of information, uncertainty, and time to complete a certain task. Besides accuracy measures, most of the applied instruments were subjective. Numeracy as a covariate was assessed in six studies [67,71–75]. In summary, the applied measures were heterogeneous, mostly subjective, and specific to the decisional scenario.

3.2. Quality of the included studies

The results according to the Cochrane risk of bias tool are presented for each study in Table 1, and the risk of bias graph is located in the Annex, Figure 2. The item regarding the blinding of participants and personnel was assessed, but information was never reported in the publications, and thus the risk of bias could not be assessed. Although, blinding in these preponderant web-based studies occurs naturally with no face-to-face contact. Any expectations from the participants in regard to their allocation to the intervention are unlikely to affect outcomes. Hence, this item seems inappropriate in this research context, and is not presented in the overall bias appraisal. Blinding for outcome assessment was also never reported, but it may occur and is presented.

The included studies show a low risk of bias with respect to selective reporting and a low risk concerning attrition bias. High risk of bias occurred only in two studies in relation to incomplete data in one experimental arm [74,75]. In summary, unclear risk of bias due to insufficient information is dominant; low risk across most bias domains is moderate to high, while high risk of bias is only marginally present.

3.3. Static visual aids vs. numeric text format

Nine out of the 13 studies compared to one or more static graphical formats to numbers that were presented in a text. The study that was conducted by Feldman-Stewart and colleagues is comprised of four similar experiments [66]. The first experiment was a pilot test with psychology students, followed by experiments with cancer patients. All participants

were asked two kinds of questions: on a gross-level to decide which number or portion is bigger or smaller, and on a detailed level to estimate the difference between two numbers. The first two experiments included the most participants and showed similar results: Vertical bar charts led to the least error-prone and to the most accurate gross-level results, while pie charts led to the least accurate estimates. Numbers were superior in assessing differences accurately, and random icon arrays were worst. This was true for patients and students, although patients needed more time to complete the tasks. The following experiments included fewer patients and could replicate these results partly. There was no clear effect of colour or preferred format.

In two studies, Cox and colleagues investigated the effect of risk information formats on HPV vaccination as a measure of cervical cancer prevention. The risk information was significantly easier to comprehend with a coloured football stadium graphic [65]. This main effect was not present in the earlier study, but an interaction analysis revealed that the exclusion of another factor (rhetorical questions) led to the same positive results [64]. A significant main effect for more vaccination intentions was observed in the graphical group in the latter study, while the graph in the other study only revealed a moderating effect. Here, only participants, who were asked about future regrets concerning consequences of non-vaccination, benefited from the visual aid. In another study, an icon array display was more efficient in improving the treatment intentions for a preventive stomach cancer medication by diminishing the risk aversion concerning side effects [69]. To a lesser extent, this was also true for a vertical bar chart. The bar chart did not improve accuracy, but the icon array did. These results could not be reproduced with the same research questions and methods [70].

Zikmund-Fisher and colleagues demonstrated that gist knowledge was improved when information about side effects of a cancer medication was shown as an incremental risk [72]. But this effect was only present in an interaction analysis. Subsequently, the study conducted by Han and colleagues revealed a higher ambiguity tolerance among people with dispositional optimism [67]. In a later similar experiment, the static visual aid had no influence on the results [68]. In the only international study, the effect of a brief communication was tested, exhibiting information about diet, risk of colon cancer, and genetic tests [63]. There were no effects of the presented icon arrays in any of the applied measures.

3.4. Results on different static visual aid formats

In two online experiments different graphical formats from the Adjuvant! web-tool were compared [71,73]. Adjuvant! is a risk calculator that provides prognostic 10-year mortality data for early breast cancer patients, in regard to additional therapy after surgery, based on a set of common risk factors [77]. A bar chart illustrates these data in order to help professionals and patients to decide about the different adjuvant therapeutic options. In the first experiment, the original four bar charts, each presenting one treatment option, were compared to icon arrays utilizing the same data. Additionally, both graphic formats were reduced from four to two treatment choices [71]. The graphs that illustrated those two options have come up with significantly better results in regard to accuracy and task completion. The following experiment was based on these results and applied the same icon array – one depicting the four outcomes and the other presenting only cancer specific and overall mortality [73]. The icon array that exhibited only the mortality data was superior concerning the accuracy and rating, and the participants reported less treatment intentions. Because of a legend error, this study was replicated. In this study, the accuracy results slightly failed to reach a significant effect, while the other results were reproduced.

3.5. Animated visual aids vs. numeric text format

Besides the effects of static displays, the later online experiment by Han and colleagues also evaluated an animated visualization [68]. The animation highlighted humanoid icons in an array for every two seconds in another place as a means of representing randomness. Compared to a text that described the data and also included a random statement, the participants watching the animated graphic reported more subjective uncertainty, while effects on perceived risk or worries were not observed.

3.6. Interactive or animated visual aids vs. static visual aids

Only two studies that compared animated or interactive graphics to static data displays were found. The same principal investigator conducted both, and both applied a similar design and scenario. The frequency of side effects caused by focal beam therapy of thyroid cancer was presented in rectangular icon arrays. Both studies were the only ones with a high risk of

bias due to incomplete outcome data. In the first experiment, the interactive graph group was instructed to click a blank icon array until the correct frequency number is pictured [74]. The control group saw the complete, static array. There was a substantial higher attrition rate in the interactive graph group, and the dropout mainly occurred during the interactive task. But this phenomenon could not further be analysed within the study design. Concerning one decision context, the results from the interactive group were significantly less accurate than from the static graph. In the second experiment, icon arrays – initially animated based on the three basic animations and subsequently scattered systematically or randomly – were tested against static displays [75]. Again, a further evaluation of dropouts was not possible due to the study design. As an overall result, there were no improvements by the animations, and rather worse knowledge and rating scores, especially in the combination of randomly scattered icons.

3.7. Summary of findings from included studies

Most of the included studies evaluated static graphs in comparison to numeric text without any interactive or animated features. Besides one series of experiments with cancer patients and one study targeting women with an elevated risk for breast cancer, only hypothetical scenarios were applied, mostly including non-affected online panel members. Icon arrays were the dominant graphical format, followed by bar charts.

Static graphs demonstrate some promising results on Behavioural intentions, comprehension, accuracy, and favourable ratings by participants [64–66,69,73,78]. In the remaining studies, no main effects or only moderating effects were observed, which are more difficult to interpret [63,67,70,72]. Factors that modified the outcomes were questions about anticipated regret, rhetorical questions, presentation of incremental risk, and less graphical information [64,72,78,79]. Surprisingly, when numeracy was added all throughout half of the studies as a covariate in the analysis, moderating effects were rarely seen [64,67,71–75].

Dynamic features in the three studies were either based on interactivity or animations [68,74,75]. Performance of the participants was partly less accurate compared to the static graphs, but with a high risk of incomplete outcome data. The risk of bias in the static graph studies was low in regard to reporting and attrition, but mostly it was not assessable with

respect to selection and detection bias. The presentation of randomness or ambiguity led to an elevated risk perception, worries, worse performance, and inferior ratings with static or dynamic graphs [66–68,75].

4. Discussion and Conclusion

4.1. Discussion

Compared to other systematic reviews about decision aids in general and specific to cancer, our findings are less robust and consistent. This can be attributed to the smaller number of studies. In the reviews by Stacey or Trikalinos and colleagues, the number of included studies range from 23 to 87 in oncology [40–42]. These meta-analyses consistently report improvements in knowledge scores, higher accurate risk perception, lower decisional conflicts, and more informed and value-congruent choices. This can be confirmed in some studies reviewed here. However, measures regarding informed choices were not applied in any study, even though an informed choice seems like a reasonable target in this context.

According to a review about visual aids, the outcome measures fall into three main categories: Measures targeting at knowledge and comprehension, instruments detecting a behavioural intention or change, and scales rating the acceptance of the graphics [80]. The applied instruments and findings in our review are heterogeneous. When compared to numeric text, static graphics demonstrated superior results in some measures, but not consistent among the studies. The most consistent results are the favourable ratings of the graphical interventions. But similar to former research, there is no evidence that the preferred format or attractiveness is consistently associated with superior performance [34,80,81].

One explanation for the heterogeneous results can be that most of the experiments were carried out in a naturalistic and uncontrolled environment, such as online panels or a websites. Therefore, most studies evaluated the effectiveness. One advantage of effectiveness studies is a high external validity, while the internal validity is limited, because the effects are un-witnessed. Ineffectiveness of an intervention can be real, or attributed to other factors like poor implementation, lack of acceptance, comprehension, and adherence [82]. This can, at least partially, be true for the reviewed studies. Comprehension problems may occur undetected, which may lead to biased results; in this review, this risk is especially

high concerning the dynamic graphs. According to the recommendations by the IPDAS Collaboration, thorough pilot testing, under controlled conditions, is required to reveal usability issues [13]. The only included study that was carried out under controlled conditions demonstrated equal accurate results with numbers and systematic ovals, and with vertical bar charts leading to the most accurate results concerning to gross level information [66]. Gaissmaier and colleagues performed a test on printed data presentation of bar graphs and icon arrays, proved superior comprehension, and recall in a controlled experiment with participants having a high graphical literacy [34]. Other reviews and studies on static, printed visual aids of statistical data support these findings [25,83,84].

Furthermore, only one of the reviewed studies included cancer patients, and another study applied a non-hypothetical scenario [66,72]. Making an actual medical decision poses peculiar demands, and it must often be made under strained and stressful conditions. Some researchers argue that the difference between hypothetical and naturalistic scenarios is so substantial that different phenomena are investigated [85]. The problem of speculative scenarios is also prevalent in other medical-decision making research [4]. Two decision aid reviews consequently excluded all hypothetical decision studies, and found moderate to high quality evidence for improvements in various measures [40,42]. Although, one experiment included here demonstrated comparable results of students and patients, except from a longer time to complete the tasks among patients [66]. Hypothetical decision-making may provide a good estimate about the efficacy of computer-supported visual aids, but the applicability of results to actual medical decisions is questionable [4,85].

The IPDAS Collaboration considers web-based interactive decision aids as key element for the communication of quantitative information, and interactive visualizations tools are becoming applicable, accessible, and easy-to-use [13,22]. In this review, only three studies evaluate the dynamic features for their data presentations, without any promising results [68,74,75]. Interactive and animated features were generally not superior, and on some scales, even led to inferior results compared to static graphs. But limitations must be noticed: Firstly, no prior usability testing was reported in these publications. High attrition rates and poor performance may result from comprehension and usability issues. Because no characteristics about the dropouts were available, it is difficult to draw firm conclusions. Ancker and colleagues applied a hypothetical non-cancer scenario, and performed a pre-test on their interactive graphics regarding usability [86]. Even though the interactive aid did not

improve risk feelings and estimates, attrition rates among the experimental arms were balanced.

Moreover, the mode of action for the interactive visualization seems unclear. In one study, Zikmund-Fisher suggests that active processing and better comprehension are supported by interactive features, but clicking on icons to reveal accurate frequencies did not show this effect [74]. In a paper-and-pencil-based experiment, active processing was stimulated by actual graph drawing or reflective questions [87]. Both stimuli increased the number of accurate frequency estimates. Okan and colleagues integrated reflective questions in an interactive icon array graph, representing the survival benefits of a hypothetical anti-cholesterol drug [81]. Depending on the graph literacy, the presentation of graph labels, and the format of the denominator, the reported numbers were significantly more accurate. Hence, the interactive stimulus in the reviewed experiments may not be adequate to motivate sufficient active processing, and additional reflective tasks or features are needed to improve cognitive performance.

Common relevant covariates were only partially assessed in the reviewed studies, namely numeracy and graphic literacy. Numeracy is an essential skill to interpret quantitative health-related information. More specifically, it is also described as health numeracy or statistical literacy, and visual aids are means to overcome low numeracy skills [12,25,88,89]. Only about half of the studies measured numeracy, and in these studies, interacting effects were rarely observed [67,71,71,73–75]. This may be attributed to the subjective instruments that were applied. Although subjective and objective numeracy are related, distinct constructs are measured. While subjective instruments are more acceptable than objective instruments, people may overestimate or underestimate their numeracy skills, which may lead to biased results [90]. Graph literacy can be another crucial factor to identify people, who can be the most suitable for graphic interventions [35,36]. Some studies have demonstrated that persons with high graph literacy—the ability to comprehend graphically presented information—benefit more from health graphs. But research on graph literacy has developed only recently [34,91,91].

Theoretical assumptions about how the actual visual aid supports information processing were not elaborated in any study. Some measures like gross and detailed accuracy or gist knowledge may implicitly point to an underlying dual process theory, but were not explicitly

discussed [66,74,75]. Therefore, the criticism of atheoretical approaches in visual aid research that is mentioned in earlier reviews still remains [13,18,23].

Some limitations of this review must be stated. Most of the studies that are included in this review evaluated static graphs. Assuming that static visual aids on a computer screen are largely processed similar to printed material, the restriction to computer-supported formats limits the number of included studies. Without these constraints, the results concerning static visual aids in cancer communication may have been more robust. Furthermore, one idea of this review was to find evidence about advanced visualization formats. Unfortunately, only very few controlled experiments about dynamic graphs could be found, and no firm conclusions can be drawn at this point. Other restrictions in the search methodology (e.g. no grey literature, English language) may have led to the exclusion of relevant material. The risk of publication bias can always occur in systematic reviews. Albeit, the findings are mixed, negative results are reported, and the risk of selective reporting was low. Therefore, a high risk for publication bias seems unlikely.

4.2. Conclusion

This has been the first review that systematically summarizes the results, and evaluates the quality of studies on computer-supported visual aids in cancer risk communication. In regard to static displays, computer-supported visual aids seem to work as well as printed ones. But the evidence is less robust compared to general decision aids in cancer, and should be confirmed by applying consistent measures in real-life decision-making. Bar charts and icon arrays are common formats and seem to work well in various contexts. The information design of visual aids should stick to the established approach of reducing complexity [92,93].

Research on interactive visualizations in cancer communication is still in its infancy. The term information visualization was not applied in the studies, although the graphics comply with common definitions. Until now, the aim of information visualizations, which is to gain insight, is not achieved in cancer communication; they may be rather confusing. If visualizations do not facilitate comprehension and support decision-making, they cannot be recommended at this point. But the few reviewed studies should be interpreted with caution. While promising theories about the cognitive processing of visual aids are evolving, their application in evaluation research is still insufficient.

4.3. Practice Implications

Well-designed, pre-tested and context-specific static visual aids can improve web-based cancer risk communication in particular populations. Icon arrays and bar charts are feasible and the design should be simple. The application of dynamic formats cannot be recommended and it needs further research. Future studies should take into account the following aspects: (a) there is a lack of research that targets the affected groups, and studies should include people in actual medical decision-making; (b) evaluation in a naturalistic, uncontrolled settings should be supported by pre-tests, and experiments under controlled conditions; (c) numeracy and graphic literacy are important co-factors and should be measured consistently to confirm, if visual aids can help to overcome misinterpretation due to low numeracy, and can identify populations that benefit the most; (d) informed choice is a reasonable aim and should be evaluated; (e) theories about graph comprehension and information processing should be integrated to demonstrate, such as why and when visual aids work.

Conflict of interest statement

The authors declare that they have no conflicts of interest.

Funding

This research did not receive any specific grant from public or commercial funding agencies or from non-profitable sectors.

Appendix

Figure 2: Risk of bias graph (*Colour print required*)

References

- [1] V.F. Reyna, W.L. Nelson, P.K. Han, M.P. Pignone, Decision making and cancer., *Am. Psychol.* 70 (2015) 105–118. doi:10.1037/a0036834.
- [2] A. Fagerlin, B.J. Zikmund-Fisher, P.A. Ubel, Helping Patients Decide: Ten Steps to Better Risk Communication., *JNCI J. Natl. Cancer Inst.* 103 (2011) 1436–1443.
- [3] A. Tversky, D. Kahneman, The Framing of Decisions and the Psychology of Choice, in: G. Wright (Ed.), *Behav. Decis. Mak.*, Springer US, Boston, MA, 1985: pp. 25–41.
<http://psych.hanover.edu/classes/cognition/papers/tversky81.pdf> (accessed September 13, 2013).
- [4] J.S. Blumenthal-Barby, H. Krieger, Cognitive Biases and Heuristics in Medical Decision Making: A Critical Review Using a Systematic Search Strategy, *Med. Decis. Making.* 35 (2015) 539–557. doi:10.1177/0272989X14547740.
- [5] V.F. Reyna, C.J. Brainerd, Numeracy, ratio bias, and denominator neglect in judgments of risk and probability, *Learn. Individ. Differ.* 18 (2008) 89–107.
doi:10.1016/j.lindif.2007.03.011.
- [6] M.C. Politi, P.K.J. Han, N.F. Col, Communicating the Uncertainty of Harms and Benefits of Medical Interventions, *Med. Decis. Making.* 27 (2007) 681–695.
doi:10.1177/0272989X07307270.
- [7] D.J. Spiegelhalter, Understanding Uncertainty, *Ann. Fam. Med.* 6 (2008) 196–197.
doi:10.1370/afm.848.
- [8] D.J. Spiegelhalter, The future lies in uncertainty, *Science.* 345 (2014) 264–265.
doi:10.1126/science.1251122.
- [9] W. Nelson, V.F. Reyna, A. Fagerlin, I. Lipkus, E. Peters, Clinical Implications of Numeracy: Theory and Practice, *Ann. Behav. Med.* 35 (2008) 261–274. doi:10.1007/s12160-

008-9037-8.

- [10] A. Fagerlin, P.A. Ubel, D.M. Smith, B.J. Zikmund-Fisher, Making numbers matter: present and future research in risk communication, *Am. J. Health Behav.* 31 Suppl 1 (2007) S47–56. doi:10.5555/ajhb.2007.31.suppl.S47.
- [11] A.L. Golbeck, C.R. Ahlers-Schmidt, A.M. Paschal, S.E. Dismuke, A definition and operational framework for health numeracy, *Am. J. Prev. Med.* 29 (2005) 375–376. doi:10.1016/j.amepre.2005.06.012.
- [12] J.S. Ancker, D. Kaufman, Rethinking health numeracy: a multidisciplinary literature review, *J. Am. Med. Inform. Assoc. JAMIA.* 14 (2007) 713–721. doi:10.1197/jamia.M2464.
- [13] L.J. Trevena, B.J. Zikmund-Fisher, A. Edwards, W. Gaissmaier, M. Galesic, P.K. Han, J. King, M.L. Lawson, S.K. Linder, I. Lipkus, E. Ozanne, E. Peters, D. Timmermans, S. Woloshin, Presenting quantitative information about decision outcomes: a risk communication primer for patient decision aid developers, *BMC Med. Inform. Decis. Mak.* 13 (2013) S7. doi:10.1186/1472-6947-13-S2-S7.
- [14] G. Gigerenzer, Breast cancer screening pamphlets mislead women, *BMJ.* 348 (2014) g2636–g2636. doi:10.1136/bmj.g2636.
- [15] G. Gigerenzer, J. Mata, R. Frank, Public Knowledge of Benefits of Breast and Prostate Cancer Screening in Europe, *JNCI J. Natl. Cancer Inst.* 101 (2009) 1216–1220. doi:10.1093/jnci/djp237.
- [16] G. Gigerenzer, A. Edwards, Simple tools for understanding risks: from innumeracy to insight, *BMJ.* 327 (2003) 741–744. doi:10.1136/bmj.327.7417.741.
- [17] A. Edwards, G. Elwyn, A. Mulley, Explaining risks: turning numerical data into meaningful pictures, *BMJ.* 324 (2002) 827–830. doi:10.1136/bmj.324.7341.827.
- [18] I.M. Lipkus, Numeric, verbal, and visual formats of conveying health risks: suggested

best practices and future recommendations, *Med. Decis. Mak. Int. J. Soc. Med. Decis. Mak.* 27 (2007) 696–713. doi:10.1177/0272989X07307271.

[19] V.H.M. Visschers, R.M. Meertens, W.W.F. Passchier, N.N.K. de Vries, Probability Information in Risk Communication: A Review of the Research Literature, *Risk Anal.* 29 (2009) 267–287. doi:10.1111/j.1539-6924.2008.01137.x.

[20] E.A. Akl, A.D. Oxman, J. Herrin, G.E. Vist, I. Terrenato, F. Sperati, C. Costiniuk, D. Blank, H. Schünemann, Using alternative statistical formats for presenting risks and risk reductions, *Cochrane Database Syst. Rev.* (2011) CD006776. doi:10.1002/14651858.CD006776.pub2.

[21] M. Friendly, The Golden Age of Statistical Graphics, *Stat. Sci.* 23 (2008) 502–535. doi:10.1214/08-STS268.

[22] D. Spiegelhalter, M. Pearson, I. Short, Visualizing Uncertainty About the Future, *Science*. 333 (2011) 1393–1400. doi:10.1126/science.1191181.

[23] I.M. Lipkus, J.G. Hollands, The visual communication of risk, *J. Natl. Cancer Inst. Monogr.* 25 (1999) 149–163.

[24] E. Kurz-Milcke, G. Gigerenzer, L. Martignon, Transparency in risk communication: graphical and analog tools, *Ann. N. Y. Acad. Sci.* 1128 (2008) 18–28. doi:10.1196/annals.1399.004.

[25] R. Garcia-Retamero, Y. Okan, E.T. Cokely, Using Visual Aids to Improve Communication of Risks about Health: A Review, *Sci. World J.* 2012 (2012) 1–10. doi:10.1100/2012/562637.

[26] R. Garcia-Retamero, U. Hoffrage, Visual representation of statistical information improves diagnostic inferences in doctors and their patients, *Soc. Sci. Med.* 83 (2013) 27–33. doi:10.1016/j.socscimed.2013.01.034.

- [27] J.S. Ancker, Y. Senathirajah, R. Kukafka, J.B. Starren, Design Features of Graphs in Health Risk Communication: A Systematic Review, *J. Am. Med. Inform. Assoc.* 13 (2006) 608–618. doi:10.1197/jamia.M2115.
- [28] Z. Hildon, D. Allwood, N. Black, Impact of format and content of visual display of data on comprehension, choice and preference: a systematic review, *Int. J. Qual. Health Care.* 24 (2011) 55–64. doi:10.1093/intqhc/mzr072.
- [29] Z. Hildon, D. Allwood, N. Black, Making data more meaningful: Patients' views of the format and content of quality indicators comparing health care providers, *Patient Educ. Couns.* 88 (2012) 298–304. doi:10.1016/j.pec.2012.02.006.
- [30] E.T. Bantug, T. Coles, K.C. Smith, C.F. Snyder, J. Rouette, M.D. Brundage, Graphical displays of patient-reported outcomes (PRO) for use in clinical practice: What makes a pro picture worth a thousand words?, *Patient Educ. Couns.* 99 (2016) 483–490. doi:10.1016/j.pec.2015.10.027.
- [31] R. Garcia-Retamero, M. Galesic, Who profits from visual aids: Overcoming challenges in people's understanding of risks, *Soc. Sci. Med.* 70 (2010) 1019–1025. doi:10.1016/j.socscimed.2009.11.031.
- [32] R. Garcia-Retamero, M. Galesic, Communicating Treatment Risk Reduction to People With Low Numeracy Skills: A Cross-Cultural Comparison, *Am. J. Public Health.* 99 (2009) 2196–2202. doi:10.2105/AJPH.2009.160234.
- [33] J.G. Dolan, F. Qian, P.J. Veazie, How Well Do Commonly Used Data Presentation Formats Support Comparative Effectiveness Evaluations?, *Med. Decis. Making.* 32 (2012) 840–850. doi:10.1177/0272989X12445284.
- [34] W. Gaissmaier, O. Wegwarth, D. Skopec, A.-S. Müller, S. Broschinski, M.C. Politi, Numbers can be worth a thousand pictures: Individual differences in understanding

graphical and numerical representations of health-related information., *Health Psychol.* 31 (2012) 286–296. doi:10.1037/a0024850.

[35] M. Galesic, R. Garcia-Retamero, Graph literacy: a cross-cultural comparison, *Med. Decis. Mak. Int. J. Soc. Med. Decis. Mak.* 31 (2011) 444–457. doi:10.1177/0272989X10373805.

[36] M. Galesic, R. Garcia-Retamero, Graph Literacy for Health, in: R. Garcia-Retamero, M. Galesic (Eds.), *Transparent Commun. Health Risks*, Springer New York, New York, NY, 2012: pp. 53–65. http://link.springer.com/10.1007/978-1-4614-4358-2_4 (accessed November 9, 2015).

[37] P.G. Brust-Renck, C.E. Royer, V.F. Reyna, Communicating Numerical Risk: Human Factors That Aid Understanding in Health Care, *Rev. Hum. Factors Ergon.* 8 (2013) 235–276. doi:10.1177/1557234X13492980.

[38] V.F. Reyna, A Theory of Medical Decision Making and Health: Fuzzy Trace Theory, *Med. Decis. Making.* 28 (2008) 850–865. doi:10.1177/0272989X08327066.

[39] V.F. Reyna, A new intuitionism: Meaning, memory, and development in Fuzzy-Trace Theory, *Judgm. Decis. Mak.* 7 (2012) 332–359. doi:11/111031/jdm111031.

[40] D. Stacey, F. Légaré, N.F. Col, C.L. Bennett, M.J. Barry, K.B. Eden, M. Holmes-Rovner, H. Llewellyn-Thomas, A. Lyddiatt, R. Thomson, L. Trevena, J.H. Wu, Decision aids for people facing health treatment or screening decisions, *Cochrane Database Syst. Rev.* (2014). doi:10.1002/14651858.CD001431.pub4.

[41] D. Stacey, R. Samant, C. Bennett, Decision Making in Oncology: A Review of Patient Decision Aids to Support Patient Participation, *CA. Cancer J. Clin.* 58 (2008) 293–304. doi:10.3322/CA.2008.0006.

[42] T.A. Trikalinos, L.S. Wieland, G.P. Adam, A. Zgodic, E.E. Ntzani, Decision Aids for

Cancer Screening and Treatment, Agency for Healthcare Research and Quality (US), Rockville (MD), 2014.

[43] S.K. Card, Readings in information visualization: using vision to think, Morgan Kaufmann Publishers, San Francisco, Calif, 1999.

[44] J.S. Yi, Y. Kang, J.T. Stasko, J.A. Jacko, Understanding and characterizing insights: how do people gain insights using information visualization?, in: ACM Press, 2008: p. 1. doi:10.1145/1377966.1377971.

[45] B.W. Hesse, E. Beckjord, L.J.F. Rutten, A. Fagerlin, L.D. Cameron, Cancer communication and informatics research across the cancer continuum, *Am. Psychol.* 70 (2015) 198–210. doi:10.1037/a0036852.

[46] S. Faisal, A. Blandford, H.W. Potts, Making sense of personal health information: Challenges for information visualization, *Health Informatics J.* 19 (2013) 198–217. doi:10.1177/1460458212465213.

[47] A. Rind, T.D. Wang, W. Aigner, S. Miksch, K. Wongsuphasawat, C. Plaisant, B. Shneiderman, Interactive Information Visualization to Explore and Query Electronic Health Records, *Found. Trends® Human–Computer Interact.* 5 (2013) 207–298. doi:10.1561/11000000039.

[48] V.L. West, D. Borland, W.E. Hammond, Innovative information visualization of electronic health record data: a systematic review, *J. Am. Med. Inform. Assoc.* (2014). doi:10.1136/amiajnl-2014-002955.

[49] L.J.F. Rutten, N.K. Arora, A.D. Bakos, N. Aziz, J. Rowland, Information needs and sources of information among cancer patients: a systematic review of research (1980–2003), *Patient Educ. Couns.* 57 (2005) 250–261. doi:10.1016/j.pec.2004.06.006.

[50] I. Rudolph, E. Seilacher, M.-J. Köster, J. Stellamanns, P. Liebl, J. Zell, S. Ludwig, V.

Beck, J. Hübner, Der Informationsbedarf von Patienten mit Krebserkrankungen in Deutschland – eine Befragung von Patienten und Angehörigen, *DMW - Dtsch. Med. Wochenschr.* 140 (2015) e43–e47. doi:10.1055/s-0041-100585.

[51] S. Santana, B. Lausen, M. Bujnowska-Fedak, C.E. Chronaki, H.-U. Prokosch, R. Wynn, Informed citizen and empowered citizen in health: results from an European survey, *BMC Fam. Pract.* 12 (2011) 20. doi:10.1186/1471-2296-12-20.

[52] J. Powell, N. Inglis, J. Ronnie, S. Large, The Characteristics and Motivations of Online Health Information Seekers: Cross-Sectional Survey and Qualitative Interview Study, *J. Med. Internet Res.* 13 (2011) e20. doi:10.2196/jmir.1600.

[53] P.E. Kummervold, R. Wynn, Health Information Accessed on the Internet: The Development in 5 European Countries, *Int. J. Telemed. Appl.* 2012 (2012) 1–3. doi:10.1155/2012/297416.

[54] P.E. Kummervold, C.E. Chronaki, B. Lausen, H.-U. Prokosch, J. Rasmussen, S. Santana, A. Staniszewski, S.C. Wangberg, eHealth Trends in Europe 2005-2007: A Population-Based Survey, *J. Med. Internet Res.* 10 (2008) e42. doi:10.2196/jmir.1023.

[55] M.J. Satterlund, K.D. McCaul, A.K. Sandgren, Information Gathering Over Time by Breast Cancer Patients, *J. Med. Internet Res.* 5 (2003) e15. doi:10.2196/jmir.5.3.e15.

[56] J. Fogel, S.M. Albert, F. Schnabel, B.A. Ditkoff, A.I. Neugut, Use of the Internet by Women with Breast Cancer, *J. Med. Internet Res.* 4 (2002) e9. doi:10.2196/jmir.4.2.e9.

[57] S.A. Littlechild, L. Barr, Using the Internet for information about breast cancer: A questionnaire-based study, *Patient Educ. Couns.* 92 (2013) 413–417. doi:10.1016/j.pec.2013.06.018.

[58] Katz, The Cancer Patient's Use and Appreciation of the Internet and Other Modern Means of Communication, *TCRT Express.* (2013). doi:10.7785/tcrtexpress.2013.600267.

- [59] C. Maddock, I. Lewis, K. Ahmad, R. Sullivan, Online information needs of cancer patients and their organizations, *Ecancermedicalscience*. 5 (2011) 235.
doi:10.3332/ecancer.2011.235.
- [60] C.L. Bylund, J.A. Gueguen, T.A. D'Agostino, Y. Li, E. Sonet, Doctor–Patient Communication About Cancer-Related Internet Information, *J. Psychosoc. Oncol.* 28 (2010) 127–142. doi:10.1080/07347330903570495.
- [61] C. Lee, S.W. Gray, N. Lewis, Internet use leads cancer patients to be active health care consumers, *Patient Educ. Couns.* 81 (2010) S63–S69. doi:10.1016/j.pec.2010.09.004.
- [62] K. Viswanath, R.H. Nagler, C.A. Bigman-Galimore, M.P. McCauley, M. Jung, S. Ramanadhan, The Communications Revolution and Health Inequalities in the 21st Century: Implications for Cancer Control, *Cancer Epidemiol. Biomarkers Prev.* 21 (2012) 1701–1708. doi:10.1158/1055-9965.EPI-12-0852.
- [63] L.D. Cameron, T.M. Marteau, P.M. Brown, W.M.P. Klein, K.A. Sherman, Communication strategies for enhancing understanding of the behavioral implications of genetic and biomarker tests for disease risk: The role of coherence, *J. Behav. Med.* 35 (2012) 286–298. doi:10.1007/s10865-011-9361-5.
- [64] D.S. Cox, A.D. Cox, L. Sturm, G. Zimet, Behavioral interventions to increase HPV vaccination acceptability among mothers of young girls., *Health Psychol.* 29 (2010) 29–39. doi:10.1037/a0016942.
- [65] D. Cox, L. Sturm, A.D. Cox, Effectiveness of asking anticipated regret in increasing HPV vaccination intention in mothers., *Health Psychol.* 33 (2014) 1074–1083. doi:10.1037/hea0000071.
- [66] D. Feldman-Stewart, N. Kocovski, B.A. McConnell, M.D. Brundage, W.J. Mackillop, Perception of quantitative information for treatment decisions, *Med. Decis. Mak. Int. J. Soc.*

Med. Decis. Mak. 20 (2000) 228–238. doi:10.1177/0272989X0002000208.

[67] P.K.J. Han, W.M.P. Klein, T. Lehman, B. Killam, H. Massett, A.N. Freedman, Communication of uncertainty regarding individualized cancer risk estimates: Effects and influential factors., Med. Decis. Making. 31 (2011) 354–366.

doi:10.1177/0272989X10371830.

[68] P.K.J. Han, W.M.P. Klein, B. Killam, T. Lehman, H. Massett, A.N. Freedman, Representing randomness in the communication of individualized cancer risk estimates: Effects on cancer risk perceptions, worry, and subjective uncertainty about risk, Patient Educ. Couns. 86 (2012) 106–113. doi:10.1016/j.pec.2011.01.033.

[69] E.A. Waters, N.D. Weinstein, G.A. Colditz, K.M. Emmons, Reducing aversion to side effects in preventive medical treatment decisions, J. Exp. Psychol. Appl. 13 (2007) 11–21. doi:10.1037/1076-898X.13.1.11.

[70] E.A. Waters, N.D. Weinstein, G.A. Colditz, K.M. Emmons, Aversion to side effects in preventive medical treatment decisions, Br. J. Health Psychol. 12 (2007) 383–401. doi:10.1348/135910706X115209.

[71] B.J. Zikmund-Fisher, A. Fagerlin, P.A. Ubel, Improving understanding of adjuvant therapy options by using simpler risk graphics, Cancer. 113 (2008) 3382–3390. doi:10.1002/cncr.23959.

[72] B.J. Zikmund-Fisher, P.A. Ubel, D.M. Smith, H.A. Derry, J.B. McClure, A. Stark, R.K. Pitsch, A. Fagerlin, Communicating side effect risks in a tamoxifen prophylaxis decision aid: The debiasing influence of pictographs, Patient Educ. Couns. 73 (2008) 209–214. doi:10.1016/j.pec.2008.05.010.

[73] B.J. Zikmund-Fisher, A. Fagerlin, P.A. Ubel, A Demonstration of Less Can Be More” in Risk Graphics, Med. Decis. Making. 30 (2010) 661–671. doi:10.1177/0272989X10364244.

- [74] B.J. Zikmund-Fisher, M. Dickson, H.O. Witteman, Cool but Counterproductive: Interactive, Web-Based Risk Communications Can Backfire, *J. Med. Internet Res.* 13 (2011) e60. doi:10.2196/jmir.1665.
- [75] B.J. Zikmund-Fisher, H.O. Witteman, A. Fuhrel-Forbis, N.L. Exe, V.C. Kahn, M. Dickson, Animated Graphics for Comparing Two Risks: A Cautionary Tale, *J. Med. Internet Res.* 14 (2012) e106. doi:10.2196/jmir.2030.
- [76] J.P. Higgins, S. Green, eds., *Cochrane Handbook for Systematic Reviews of Interventions - Version 5.1.0* [updated March 2011], The Cochrane Collaboration, 2011.
- [77] P.M. Ravdin, L.A. Siminoff, G.J. Davis, M.B. Mercer, J. Hewlett, N. Gerson, H.L. Parker, Computer program to assist in making decisions about adjuvant therapy for women with early breast cancer, *J. Clin. Oncol. Off. J. Am. Soc. Clin. Oncol.* 19 (2001) 980–991.
- [78] B.J. Zikmund-Fisher, A. Fagerlin, P.A. Ubel, Improving understanding of adjuvant therapy options by using simpler risk graphics, *Cancer.* 113 (2008) 3382–3390. doi:10.1002/cncr.23959.
- [79] D. Cox, L. Sturm, A. Cox D., Effectiveness of Asking Anticipated Regret in Increasing HPV Vaccination Intention in Mothers., *Health Psychol.* 33 (2014) 1074–1083. doi:10.1037/hea0000071.
- [80] J.S. Ancker, Y. Senathirajah, R. Kukafka, J.B. Starren, Design Features of Graphs in Health Risk Communication: A Systematic Review, *J. Am. Med. Inform. Assoc.* 13 (2006) 608–618. doi:10.1197/jamia.M2115.
- [81] Y. Okan, R. Garcia-Retamero, E.T. Cokely, A. Maldonado, Improving risk understanding across ability levels: Encouraging active processing with dynamic icon arrays, *J. Exp. Psychol. Appl.* 21 (2015) 178–194. doi:10.1037/xap0000045.
- [82] A.G. Singal, P.D.R. Higgins, A.K. Waljee, *A Primer on Effectiveness and Efficacy Trials*,

Clin. Transl. Gastroenterol. 5 (2014) e45. doi:10.1038/ctg.2013.13.

[83] R. Garcia-Retamero, E.T. Cokely, U. Hoffrage, Visual aids improve diagnostic inferences and metacognitive judgment calibration, *Front. Psychol.* 6 (2015). doi:10.3389/fpsyg.2015.00932.

[84] S.T. Hawley, B. Zikmund-Fisher, P. Ubel, A. Jancovic, T. Lucas, A. Fagerlin, The impact of the format of graphical presentation on health-related knowledge and treatment choices, *Patient Educ. Couns.* 73 (2008) 448–455. doi:10.1016/j.pec.2008.07.023.

[85] V.L. Patel, D.R. Kaufman, J.F. Arocha, Emerging paradigms of cognition in medical decision-making, *J. Biomed. Inform.* 35 (2002) 52–75. doi:10.1016/S1532-0464(02)00009-6.

[86] J.S. Ancker, E.U. Weber, R. Kukafka, Effects of Game-Like Interactive Graphics on Risk Perceptions and Decisions, *Med. Decis. Making.* 31 (2011) 130–142. doi:10.1177/0272989X10364847.

[87] H.M. Natter, D.C. Berry, Effects of active information processing on the understanding of risk information, *Appl. Cogn. Psychol.* 19 (2005) 123–135. doi:10.1002/acp.1068.

[88] J. Multmeier, W. Gaissmaier, O. Wegwarth, Collective statistical illiteracy in health, in: B.L. Anderson, J. Schulkin (Eds.), *Numer. Reason. Judgm. Decis. Mak. Health*, Cambridge University Press, Cambridge ; New York, 2014: pp. 39–58.

[89] V.F. Reyna, W.L. Nelson, P.K. Han, N.F. Dieckmann, How numeracy influences risk comprehension and medical decision making., *Psychol. Bull.* 135 (2009) 943–973. doi:10.1037/a0017327.

[90] J.G. Dolan, O.A. Cherkasky, Q. Li, N. Chin, P.J. Veazie, Should Health Numeracy Be Assessed Objectively or Subjectively?, *Med. Decis. Mak. Int. J. Soc. Med. Decis. Mak.* (2015). doi:10.1177/0272989X15584332.

- [91] Y. Okan, M. Galesic, R. Garcia-Retamero, How People with Low and High Graph Literacy Process Health Graphs: Evidence from Eye-tracking: Graph Literacy and Health Graph Processing, *J. Behav. Decis. Mak.* (2015) n/a–n/a. doi:10.1002/bdm.1891.
- [92] B.J. Zikmund-Fisher, Stories of MDM: From a Conversation to a Career of Making Less Data More Useful, *Med. Decis. Making.* 35 (2015) NP1–NP3. doi:10.1177/0272989X14563576.
- [93] E.R. Tufte, *The visual display of quantitative information*, 2nd ed, Graphics Press, Cheshire, Conn, 2001.

Supplement

1.	Search strategies	1
1.1.	CINAHL 2015-08-15 (EBSCO)	1
1.2.	Health Source: Nursing/Academic Edition 2015-08-15 (EBSCO)	2
1.3.	Library, Information Science & Technology Abstracts 2015-08-14 (EBSCO)	3
1.4.	MEDLINE 2015-08-15 (EBSCO)	4
1.5.	PsycInfo 2015-08-15 (EBSCO)	5
1.6.	Psychology and Behavioral Sciences Collection 2015-08-14 (EBSCO)	6
1.7.	EMBASE 2015-08-15 (OVID)	7
1.8.	IEEE Xplore Digital Library 2015-08-15	8
2.	Excluded publications	9

1. Search strategies

1.1. CINAHL 2015-08-15 (EBSCO)

Search ID#	Search Terms
S24	S17 AND S22
S23	S17 AND S22
S22	S18 OR S19 OR S20 OR S21
S21	TI control* OR AB control*
S20	TI random* OR AB random*
S19	PT randomized controlled trial
S18	PT clinical trial
S17	S4 AND S16
S16	S12 OR S15
S15	S13 AND S14
S14	TI (visual* OR graph*) OR AB (visual* OR graph*)
S13	SU (Decision Support Technique OR Decision Support System OR decision support systems, clinical OR Medical Informatics OR Computer Graphics OR Data Display OR Decision Making, Computer-Assisted OR Medical Illustration OR decision making, patient)
S12	S10 AND S11

S11	TI (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*) OR AB (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*)
S10	S5 OR S6 OR S7 OR S8 OR S9
S9	TI (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*) OR AB (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*)
S8	TI (interactiv* graph* OR interactiv* visuali* OR graph* displ*) OR AB (interactiv* graph* OR interactiv* visuali* OR graph* displ*)
S7	TI (information* visuali* OR information* graph* OR infovis OR info-vis) OR AB (information* visuali* OR information* graph* OR infovis OR info-vis)
S6	TI (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*) OR AB (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*)
S5	TI (data visuali* OR data graph* OR data displa* OR data represent*) OR AB (data visuali* OR data graph* OR data displa* OR data represent*)
S4	S1 OR S2 OR S3
S3	AB (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S2	TI (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S1	SU (neoplasms OR neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)

1.2. Health Source: Nursing/Academic Edition 2015-08-15 (EBSCO)

Search Terms	Search Options
S20	S4 AND S16 AND S17
S19	S4 AND S16 AND S17
S18	S4 AND S16 AND S17
S17	S10 OR S13
S16	S14 OR S15
S15	TI (control* trial*) OR AB (control* trial*)
S14	TI random* OR AB random*
S13	S11 AND S12
S12	TI (visual* OR graph*) OR AB (visual* OR graph*)
S11	SU (Decision Support Systems OR Decision Making OR Choice behavior)

S10	S5 OR S6 OR S7 OR S8 OR S9
S9	TI (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*) OR AB (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*)
S8	TI (interactiv* graph* OR interactiv* visuali* OR graph* displ*) OR AB (interactiv* graph* OR interactiv* visuali* OR graph* displ*)
S7	TI (information* visuali* OR information* graph* OR infovis OR info-vis) OR AB (information* visuali* OR information* graph* OR infovis OR info-vis)
S6	TI (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*) OR AB (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*)
S5	TI (data visuali* OR data graph* OR data displa* OR data represent*) OR AB (data visuali* OR data graph* OR data displa* OR data represent*)
S4	S1 OR S2 OR S3
S3	AB (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S2	TI (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S1	SU (neoplasms OR neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)

1.3. Library, Information Science & Technology Abstracts 2015-08-14 (EBSCO)

Search Terms	Search Options
S19	S4 AND S17
S18	S4 AND S17
S17	S12 OR S15 OR S16
S16	SU Computer Graphics
S15	S13 AND S14
S14	TI (visual* OR graph*) OR AB (visual* OR graph*)
S13	SU (Decision Making OR Decision Support System OR Medical Informatics)
S12	S10 AND S11
S11	TI (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*) OR AB (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*)
S10	S5 OR S6 OR S7 OR S8 OR S9
S9	TI (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*) OR AB (visual* uncertaint* OR visual* statistic* OR visual* aid* OR

	visual* analy* OR visual* present* OR visual* represent* OR visual displ*)
S8	TI (interactiv* graph* OR interactiv* visuali* OR graph* displ*) OR AB (interactiv* graph* OR interactiv* visuali* OR graph* displ*)
S7	TI (information* visuali* OR information* graph* OR infovis OR info-vis) OR AB (information* visuali* OR information* graph* OR infovis OR info-vis)
S6	TI (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*) OR AB (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*)
S5	TI (data visuali* OR data graph* OR data displa* OR data present* OR data represent*) OR AB (data visuali* OR data graph* OR data displa* OR data present* OR data represent*)
S4	S1 OR S2 OR S3
S3	AB (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S2	TI (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S1	SU (neoplasms OR neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)

1.4. MEDLINE 2015-08-15 (EBSCO)

Search Terms	Search Options
S25	S18 AND S23
S24	S18 AND S23
S23	S19 OR S20 OR S21 OR S22
S22	TI (control* AND trial*) OR AB (control* AND trial*)
S21	TI random* OR AB random*
S20	PT randomized controlled trial
S19	PT controlled clinical trial
S18	S4 AND S17
S17	S12 OR S15 OR S16
S16	SU (Computer Graphics OR Data Display OR Medical Illustration)
S15	S13 AND S14
S14	TI (visual* OR graph*) OR AB (visual* OR graph*)
S13	SU (Decision Support Technique OR Decision Support System OR Medical Informatics OR Decision Making, Computer-Assisted)
S12	S10 AND S11

S11	TI (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*) OR AB (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*)
S10	S5 OR S6 OR S7 OR S8 OR S9
S9	TI (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*) OR AB (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*)
S8	TI (interactiv* graph* OR interactiv* visuali* OR graph* displ*) OR AB (interactiv* graph* OR interactiv* visuali* OR graph* displ*)
S7	TI (information* visuali* OR information* graph* OR infovis OR info-vis) OR AB (information* visuali* OR information* graph* OR infovis OR info-vis)
S6	TI (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*) OR AB (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*)
S5	TI (data visuali* OR data graph* OR data displa* OR data represent*) OR AB (data visuali* OR data graph* OR data displa* OR data represent*)
S4	S1 OR S2 OR S3
S3	AB (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S2	TI (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S1	SU (neoplasms OR neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)

1.5. PsycInfo 2015-08-15 (EBSCO)

Search ID#	Search Terms
S22	S4 AND S16 AND S20
S21	S4 AND S16 AND S20
S20	S17 OR S18 OR S19
S19	TI trial* OR AB trial*
S18	TI control* OR AB control*
S17	TI random* OR AB random*
S16	S10 OR S15
S15	S13 OR S14
S14	S11 AND S12
S13	SU Graphical Displays

S12	TI (visual* OR graph*) OR AB (visual* OR graph*)
S11	SU (Decision Support Systems OR Decision Making OR Choice behavior)
S10	S5 OR S6 OR S7 OR S8 OR S9
S9	TI (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*) OR AB (visual* uncertaint* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*)
S8	TI (interactiv* graph* OR interactiv* visuali* OR graph* displ*) OR AB (interactiv* graph* OR interactiv* visuali* OR graph* displ*)
S7	TI (information* visuali* OR information* graph* OR infovis OR info-vis) OR AB (information* visuali* OR information* graph* OR infovis OR info-vis)
S6	TI (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*) OR AB (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*)
S5	TI (data visuali* OR data graph* OR data displa* OR data represent*) OR AB (data visuali* OR data graph* OR data displa* OR data represent*)
S4	S1 OR S2 OR S3
S3	AB (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S2	TI (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S1	SU (neoplasms OR neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)

1.6. Psychology and Behavioral Sciences Collection 2015-08-14 (EBSCO)

Search ID#	Search Terms
S18	S4 AND S17
S17	S12 OR S15 OR S16
S16	SU (Computer Graphics OR Data Display OR Medical Illustration)
S15	S13 AND S14
S14	TI (visual* OR graph*) OR AB (visual* OR graph*)
S13	SU (Decision Making OR Decision Support System OR Medical Informatics)
S12	S10 AND S11
S11	TI (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*) OR AB (web-based OR web based OR computer-supported OR computer supported OR internet* OR online OR interactiv*)
S10	S5 OR S6 OR S7 OR S8 OR S9

S9	TI (visual* uncertain* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*) OR AB (visual* uncertain* OR visual* statistic* OR visual* aid* OR visual* analy* OR visual* present* OR visual* represent* OR visual displ*)
S8	TI (interactiv* graph* OR interactiv* visuali* OR graph* displ*) OR AB (interactiv* graph* OR interactiv* visuali* OR graph* displ*)
S7	TI (information* visuali* OR information* graph* OR infovis OR info-vis) OR AB (information* visuali* OR information* graph* OR infovis OR info-vis)
S6	TI (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*) OR AB (risk* visuali* OR risc* visuali* OR risk* displ* OR risk* displ* OR risc* displ* OR risk* graph* OR risc* graph*)
S5	TI (data visuali* OR data graph* OR data displa* OR data present* OR data represent*) OR AB (data visuali* OR data graph* OR data displa* OR data present* OR data represent*)
S4	S1 OR S2 OR S3
S3	AB (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S2	TI (neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)
S1	SU (neoplasms OR neoplas* OR cancer* OR oncolog* OR tum*r OR malign* OR carcino* OR sarcom*)

1.7. EMBASE 2015-08-15 (OVID)

Searches

- 1 exp neoplasm/
- 2 malignanc*.ti. or malignanc*.ab.
- 3 oncolog*.ti. or oncolog*.ab.
- 4 neoplas*.ti. or neoplas*.ab.
- 5 tum*r.ti. or tum*r.ab.
- 6 cancer*.ti. or cancer*.ab.
- 7 carcino*.ti. or carcino*.ab.
- 8 sarcom*.ti. or sarcom*.ab.
- 9 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8
- 10 data visuali*.ti. or data visuali*.ab. or data graph*.ti. or data graph*.ab. or data displa*.ti. or data displa*.ab.
- 11 risk* visuali*.ti. or risk* visuali*.ab. or risk* graph*.ti. or risk* graph*.ab. or risk* displa*.ti. or risk* displa*.ab.
- 12 information* visuali*.ti. or information* visuali*.ab. or infovis.ti. or infovis.ab. or info-vis.ti. or info-vis.ab. or information* graph*.ti. or information* graph*.ab.
- 13 interactiv* graph*.ti. or interactiv* graph*.ab. or interactiv* visuali*.ti. or interactiv* visuali*.ab. or interactiv* displa*.ti. or interactiv* displa*.ab.
- 14 visual* uncertain*.ti. or visual* uncertain*.ab. or visual* statistic*.ti. or visual* statistic*.ab. or visual* analy*.ti. or visual* analy*.ab. or visual* aid*.ti. or visual* aid*.ab. or visual* represent*.ti. or visual*

represent*.ab. or visual* displ*.ti. or visual* displ*.ab.

15 10 or 11 or 12 or 13 or 14

16 exp medical illustration/

17 exp computer graphics/

18 exp visual information/

19 16 or 17 or 18

20 exp decision support system/

21 exp information processing/

22 exp medical informatics/

23 exp medical decision making/

24 20 or 21 or 22 or 23

25 graph*.ti. or graph*.ab. or visual*.ti. or visual*.ab.

26 24 and 25

27 15 or 19 or 26

28 randomized controlled trial/

29 controlled study/

30 randomization/

31 random*.ti. or random*.ab. or controll*.ti. or controll*.ab.

32 28 or 29 or 30 or 31

33 9 and 27 and 32

34 limit 33 to (human and english language and exclude medline journals)

1.8. IEEE Xplore Digital Library 2015-08-15

Search Query Details

3

(((((("Publication Title":trial) OR "Abstract":trial) OR "Publication Title":randomized) OR "Abstract":randomized) OR "Publication Title":controlled) OR "Abstract":controlled)

648908 Metadata Aug. 14, 2015 13:05 UTC Delete

2

(((((((((("Document Title":visuali*) OR "Abstract":visuali*) OR "Document Title":infovis) OR "Abstract":infovis) OR "Document Title":visual aid) OR "Abstract":visual aid) OR "Document Title":data representation) OR "Abstract":data representation) OR "Document Title":risk graph) OR "Abstract":risk graph)

51520 Metadata Aug. 14, 2015 13:02 UTC Delete

1

((("MeSH Terms":neoplasms) OR "Document Title":neoplasm OR cancer*) OR "Abstract":neoplasm OR cancer*)

17257 Metadata Aug. 14, 2015 12:56 UTC

2. Excluded publications

- [1] C.K. Abbey, M.P. Eckstein, J.M. Boone, Estimating the relative utility of screening mammography, *Medical Decision Making*. 33 (2013) 510–520.
- [2] S. Ahmed, K.M. Iftekharuddin, Efficacy of texture features for brain tumor segmentation, *International Journal of Cancer Research and Prevention*. 5 (2012) 111–132.
- [3] R.M. Aigner, G. Schultes, G. Wolf, T. Schwarz, M. Lorbach, F-18-FDG PET in presurgical oro-maxillofacial carcinomas, *Radiology and Oncology*. 36 (2002) 327.
- [4] Disease in the U.S. Elderly Population: Medicare-Based Analysis, *Journal of the American Geriatrics Society*. 60 (2012) 323–327. doi:10.1111/j.1532-5415.2011.03786.x.
- [5] A.M. Alanazi, A.S. El-Azab, I.A. Al-Swaidan, A.R. Maarouf, E.R. El-Bendary, M.A. Abu El-Enin, A.A.M. Abdel-Aziz, Synthesis, single-crystal, in vitro antitumor evaluation and molecular docking of 3-substituted 5,5-diphenylimidazolidine-2,4-dione derivatives, *Medicinal Chemistry Research*. 22 (2013) 6129–6142.
- [6] F. Anagnostopoulos, C. Dimitrakaki, D. Fitzsimmons, G. Potamianos, D. Niakas, Y. Tountas, Health beliefs and illness perceptions as related to mammography uptake in randomly selected women in Greece, *Journal of Clinical Psychology in Medical Settings*. 19 (2012) 147–164. doi:10.1007/s10880-011-9272-1.
- [7] F.O. Andrade, M.K. Nagamine, A. De Conti, L.M. Chaible, C.C. Fontelles, A.A. Jordão Jr., H. Vannucchi, M.L.Z. Dagli, B.K. Bassoli, F.S. Moreno, T.P. Ong, Efficacy of the dietary histone deacetylase inhibitor butyrate alone or in combination with vitamin A against proliferation of MCF-7 human breast cancer cells, *Brazilian Journal of Medical and Biological Research*. 45 (2012) 841–850. doi:10.1590/S0100-879X2012007500103.
- [8] D. Angrave, A. Charlwood, M. Wooden, Working time and cigarette smoking: Evidence from Australia and the United Kingdom, *Social Science & Medicine*. 112 (2014) 72–79. doi:10.1016/j.socscimed.2014.04.031.
- [9] M.A. Astrahan, G. Luxton, G. Jozsef, T.D. Kampp, P.E. Liggett, M.D. Sapozink, Z. Petrovich, An interactive treatment planning system for ophthalmic plaque radiotherapy, *International Journal Of Radiation Oncology, Biology, Physics*. 18 (1990) 679–687.
- [10] A.H.Y. Au, W.W.T. Lam, M.C.M. Chan, A.Y.M. Or, A. Kwong, D. Suen, A.L. Wong, I. Juraskova, T.W.T. Wong, R. Fielding, Development and pilot-testing of a Decision Aid for use among Chinese women facing breast cancer surgery, *Health Expectations*. 14 (2011) 405–416. doi:10.1111/j.1369-7625.2010.00655.x.
- [11] A.H.Y. Au, W.W.T. Lam, M.C.M. Chan, A.Y.M. Or, A. Kwong, D. Suen, A.L. Wong, I. Juraskova, T.W.T. Wong, R. Fielding, Development and pilot-testing of a decision aid for use among Chinese women facing breast cancer surgery, *Health Expectations: An International Journal of Public Participation in Health Care & Health Policy*. 14 (2011) 405–416. doi:10.1111/j.1369-7625.2010.00655.x.
- [12] G.C. Barnett, J.S. Wilkinson, A.M. Moody, C.B. Wilson, N. Twyman, G.C. Wishart, N.G. Burnet, C.E. Coles, Randomized controlled trial of forward-planned intensity modulated radiotherapy for early breast cancer: interim results at 2 years, *International Journal Of Radiation Oncology, Biology, Physics*. 82 (2012) 715–723. doi:10.1016/j.ijrobp.2010.10.068.
- [13] A.N. Basavanahally, S. Ganesan, S. Agner, J.P. Monaco, M.D. Feldman, J.E. Tomaszewski, G. Bhanot, A. Madabhushi, Computerized Image-Based Detection and Grading of Lymphocytic Infiltration in HER2+ Breast Cancer Histopathology, *Biomedical Engineering, IEEE Transactions on*. 57 (2010) 642–653. doi:10.1109/TBME.2009.2035305.
- [14] B. Baujat, C. Mahé, J.-P. Pignon, C. Hill, A graphical method for exploring heterogeneity in meta-analyses: application to a meta-analysis of 65 trials, *Statistics In Medicine*. 21 (2002) 2641–2652.
- [15] E.B. Beckjord, L.J. Finney Rutten, L. Volckmann, B.W. Hesse, L. Squiers, N.K. Arora, R.P. Moser, Use of the Internet to Communicate with Health Care Providers in the United States: Estimates from

- the 2003 and 2005 Health Information National Trends Surveys (HINTS), *Journal of Medical Internet Research*. 9 (2007) 1–1. doi:10.2196/jmir.9.3.e20.
- [16] L. Benecchi, F. Bocchi, M. Potenzoni, F. Russo, L. Perucchini, M. Quarta, M. Tonghini, P. Bocchi, C. Del Boca, Neurofuzzy system for prostate cancer risk evaluation, *European Urology, Supplements*. 12 (2013) e1041–e1042.
- [17] J. Bercoff, M. Tanter, M. Fink, Supersonic shear imaging: a new technique for soft tissue elasticity mapping, *Ultrasonics, Ferroelectrics, and Frequency Control, IEEE Transactions on*. 51 (2004) 396–409. doi:10.1109/TUFFC.2004.1295425.
- [18] M. Bergamino, D.J. Hamilton, L. Castelletti, L. Barletta, L. Castellan, Brain Tumor Database, a free relational database for collection and analysis of brain tumor patient information, *Health Informatics Journal*. 21 (2015) 36–45. doi:10.1177/1460458213496661.
- [19] B.M. Berger, Using the Pathfinder system to reduce missed abnormal cervical cytologic smear cases in a rescreening program, *Acta Cytologica*. 41 (1997) 173–181.
- [20] N. Bergner, T. Bocklitz, B.F.M. Romeike, R. Reichart, R. Kalff, C. Krafft, J. Popp, Identification of primary tumors of brain metastases by Raman imaging and support vector machines, *Chemometrics and Intelligent Laboratory Systems*. 117 (2012) 224–232.
- [21] D.L. Berry, B.A. Blumenstein, B. Halpenny, S. Wolpin, J.R. Fann, M. Austin-Seymour, N. Bush, B.T. Karras, W.B. Lober, R. McCorkle, Enhancing patient-provider communication with the electronic self-report assessment for cancer: a randomized trial, *Journal Of Clinical Oncology: Official Journal Of The American Society Of Clinical Oncology*. 29 (2011) 1029–1035. doi:10.1200/JCO.2010.30.3909.
- [22] D.L. Berry, B. Halpenny, S. Wolpin, B.J. Davison, W.J. Ellis, W.B. Lober, J. McReynolds, J. Wulff, Development and evaluation of the personal patient profile-prostate (P3P), a Web-based decision support system for men newly diagnosed with localized prostate cancer, *Journal Of Medical Internet Research*. 12 (2010) e67–e67. doi:10.2196/jmir.1576.
- [23] T. Bertsche, V. Askoxylakis, G. Habl, F. Laidig, J. Kaltschmidt, S.P.W. Schmitt, H. Ghaderi, A. Zabel-du Bois, S. Milker-Zabel, J. Debus, H.J. Bardenheuer, W.E. Haefeli, Multidisciplinary pain management based on a computerized clinical decision support system in cancer pain patients, *Pain*. 147 (2009) 20–28. doi:10.1016/j.pain.2009.07.009.
- [24] F. Bianconi, V. Brunori, P. Valigi, F. La Rosa, F. Stracci, Information Technology as Tools for Cancer Registry and Regional Cancer Network Integration, *Systems, Man and Cybernetics, Part A: Systems and Humans, IEEE Transactions on*. 42 (2012) 1410–1424. doi:10.1109/TSMCA.2012.2210209.
- [25] F. Boin, R. Zanardini, R. Pioli, C.A. Altamura, M. Maes, M. Gennarelli, Association between - G308A tumor necrosis factor alpha gene polymorphism and schizophrenia, *Molecular Psychiatry*. 6 (2001) 79–82. doi:10.1038/sj.mp.4000815.
- [26] I. Bosma, J.C. Reijneveld, M. Klein, L. Douw, B.W. van Dijk, J.J. Heimans, C.J. Stam, Disturbed functional brain networks and neurocognitive function in low-grade glioma patients: A graph theoretical analysis of resting-state MEG, *Nonlinear Biomedical Physics*. 3 (2009).
<http://www.nonlinearbiomedphys.com/content/3/1/9>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2010190472>.
- [27] R. Bouchard, O. Sahin, S. Emelianov, Ultrasound-guided photoacoustic imaging: current state and future development, *Ultrasonics, Ferroelectrics, and Frequency Control, IEEE Transactions on*. 61 (2014) 450–466. doi:10.1109/TUFFC.2014.2930.
- [28] M.D. Bould, M.A. Hayter, D.M. Campbell, D.B. Chandra, H.S. Joo, V.N. Naik, A cognitive aid for neonatal resuscitation: a randomized controlled trial, *Pediatric Anesthesia*. 19 (2009) 716–716. doi:10.1111/j.1460-9592.2009.03043_1.x.
- [29] V.L. Boullay, M. Plaza, A. Perrault, L. Capelle, L. Chaby, Atypical crossmodal emotional integration in patients with gliomas, *Brain and Cognition*. 92 (2014) 92–100. doi:10.1016/j.bandc.2014.10.003.

- [30] G.S. Bova, G. Parmigiani, J.I. Epstein, T. Wheeler, N.R. Mucci, M.A. Rubin, Web-based tissue microarray image data analysis: initial validation testing through prostate cancer Gleason grading, *Human Pathology*. 32 (2001) 417–427.
- [31] D.H. Bovbjerg, W.H. Redd, P.B. Jacobsen, S.L. Manne, K.L. Taylor, A. Surbone, J.P. Crown, L. Norton, T.A. Gilewski, C.A. Hudis, B.S. Reichman, R.J. Kaufman, V.E. Currie, T.B. Hakes, An experimental analysis of classically conditioned nausea during cancer chemotherapy, *Psychosomatic Medicine*. 54 (1992) 623–637.
- [32] A. Brédart, S. Dolbeault, A. Savignoni, C. Besancenet, P. This, A. Giami, S. Michaels, C. Flahault, M. -C Falcou, B. Asselain, L. Copel, Prevalence and associated factors of sexual problems after early-stage breast cancer treatment: Results of a French exploratory survey, *Psycho-Oncology*. 20 (2011) 841–850. doi:10.1002/pon.1789.
- [33] A. Brédart, J.-L. Kop, M. Fall, S. Pelissier, C. Simondi, S. Dolbeault, A. Livartowski, A. Tardivon, Perception of care and experience of examination in women at risk of breast cancer undergoing intensive surveillance by standard imaging with or without MRI, *Patient Education and Counseling*. 86 (2012) 405–413. doi:10.1016/j.pec.2011.06.012.
- [34] A. Brédart, D. Razavi, C. Robertson, S. Brignone, D. Fonzo, J.-Y. Petit, J.C.J.M. de Haes, Timing of patient satisfaction assessment: Effect on questionnaire acceptability, completeness of data, reliability and variability of scores, *Patient Education and Counseling*. 46 (2002) 131–136. doi:10.1016/S0738-3991(01)00152-5.
- [35] M. Brundage, A. Leis, A. Bezjak, D. Feldman-Stewart, L. Degner, K. Velji, L. Zetes-Zanatta, D. Tu, P. Ritvo, J. Pater, Cancer patients' preferences for communicating clinical trial quality of life information: A qualitative study, *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*. 12 (2003) 395–404. doi:10.1023/A:1023404731041.
- [36] M.D. Brundage, K.C. Smith, E.A. Little, E.T. Bantug, C.F. Snyder, Communicating patient-reported outcome scores using graphic formats: Results from a mixed-methods evaluation, *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*. (2015). doi:10.1007/s11136-015-0974-y.
- [37] I. Buciu, A. Gacsadi, Directional features for automatic tumor classification of mammogram images, *Biomedical Signal Processing and Control*. 6 (2011) 370–378.
- [38] C. Callahan, Creating or Capturing Reality? Historical Photographs of the Progressive Era, *Social Studies*. 106 (January 1) 57–71.
- [39] L.T.P.W.K. Cameron, Communication strategies for enhancing understanding of the behavioral implications of genetic and biomarker tests for disease risk: The role of coherence, *Journal of Behavioral Medicine*. 35 (6) 286–298. doi:10.1007/s10865-011-9361-5.
- [40] R. Caprara, K.L. Obstein, G. Scozzarro, C. Di Natali, M. Beccani, D.R. Morgan, P. Valdastrì, A Platform for Gastric Cancer Screening in Low- and Middle-Income Countries, *Biomedical Engineering, IEEE Transactions on*. 62 (2015) 1324–1332. doi:10.1109/TBME.2014.2386309.
- [41] S.L. Carter, Analysis and visualization of functional relationships between RNA expression and clinical annotation using PathlinX, *Proceedings / AMIA ... Annual Symposium. AMIA Symposium*. (2002) 121–125.
- [42] A.G. Chacko, K.S. Babu, M.J. Chandy, Value of visual evoked potential monitoring during trans-sphenoidal pituitary surgery, *British Journal of Neurosurgery*. 10 (1996) 275–278. doi:10.1080/02688699650040133.
- [43] M. Chamberland, K. Whittingstall, D. Fortin, D. Mathieu, M. Descoteaux, Real-time multi-peak tractography for instantaneous connectivity display, *Frontiers in Neuroinformatics*. 8 (2014). <http://journal.frontiersin.org/Journal/10.3389/fninf.2014.00059/pdf>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed12&NEWS=N&AN=2014382993>

- [44] F. Chan, B.T. McMahon, G. Cheing, D.A. Rosenthal, J. Bezyak, Drivers of workplace discrimination against people with disabilities: The utility of Attribution Theory, *Work: Journal of Prevention, Assessment & Rehabilitation*. 25 (2005) 77–88.
- [45] J. Chen, Y. Zhang, X. Zhang, R. Cao, S. Chen, Q. Huang, X. Lu, X. Wan, X. Wu, C. Xu, G. Xu, X. Lin, Application of L-EDA in metabonomics data handling: Global metabolite profiling and potential biomarker discovery of epithelial ovarian cancer prognosis, *Metabolomics*. 7 (2011) 614–622.
- [46] P.-T. Chen, C.-S. Sung, C.-C. Wang, K.-H. Chan, W.-K. Chang, W.-H. Hsu, Experience of anesthesiologists with percutaneous nonangiographic venous access, *Journal Of Clinical Anesthesia*. 19 (2007) 609–615.
- [47] M.P. Chopra, S.S. Prakash, R. Raguram, The neuroleptic malignant syndrome: An Indian experience, *Comprehensive Psychiatry*. 40 (1999) 19–23. doi:10.1016/S0010-440X(99)90071-8.
- [48] N.R. Clark, R. Dannenfelser, C.M. Tan, M.E. Komosinski, A. Ma'ayan, Sets2Networks: network inference from repeated observations of sets, *BMC Systems Biology*. 6 (2012) 89–89. doi:10.1186/1752-0509-6-89.
- [49] P. Conde, T. Alonso, I. Garau, P. Roca, J. Oliver, Treatment of medical databases and their graphical representation on the Internet, *Medical Informatics & the Internet in Medicine*. 31 (2006) 195–204. doi:10.1080/14639230600804879.
- [50] C. Cotrutz, L. Xing, Using voxel-dependent importance factors for interactive DVH-based dose optimization, *Physics In Medicine And Biology*. 47 (2002) 1659–1669.
- [51] E.J. Coups, J.S. Ostroff, A population-based estimate of the prevalence of behavioral risk factors among adult cancer survivors and noncancer controls, *Preventive Medicine: An International Journal Devoted to Practice and Theory*. 40 (2005) 702–711. doi:10.1016/j.ypmed.2004.09.011.
- [52] B.J. Coventry, M.J. Weightman, J.M. Skinner, J. Bradley, Improving evaluation of the distribution and density of immunostained cells in breastcancer using computerized video image analysis, *Cancer Management and Research*. 3 (2011) 101–108.
- [53] V. Crecea, B.W. Graf, K. Taewoo, G. Popescu, S.A. Boppart, High Resolution Phase-Sensitive Magnetomotive Optical Coherence Microscopy for Tracking Magnetic Microbeads and Cellular Mechanics, *Selected Topics in Quantum Electronics, IEEE Journal of*. 20 (2014) 25–31. doi:10.1109/JSTQE.2013.2280501.
- [54] M. Cunich, G. Salkeld, J. Dowie, J. Henderson, C. Bayram, H. Britt, K. Howard, Integrating evidence and individual preferences using a web-based multi-criteria decision analytic tool: An application to prostate cancer screening, *The Patient: Patient-Centered Outcomes Research*. 4 (2011) 153–162. doi:10.2165/11587070-000000000-00000.
- [55] B.J. Davison, S.L. Goldenberg, M.E. Gleave, L.F. Degner, Provision of Individualized Information to Men and Their Partners to Facilitate Treatment Decision Making in Prostate Cancer, *Oncology Nursing Forum*. 30 (2003) 107–114.
- [56] L.W. D'Avolio, A.A.T. Bui, The Clinical Outcomes Assessment Toolkit: A Framework to Support Automated Clinical Records-based Outcomes Assessment and Performance Measurement Research, *Journal of the American Medical Informatics Association*. 15 (2008) 333–340.
- [57] S. Derby, J. Chin, R.K. Portenoy, Systemic opioid therapy for chronic cancer pain: Practical guidelines for converting drugs and routes of administration, *CNS Drugs*. 9 (1998) 99–109. doi:10.2165/00023210-199809020-00003.
- [58] M. Deschamps, P.R. Band, T.G. Hislop, J. Rusthoven, N. Iscoe, D. Warr, The evaluation of analgesic effects in cancer patients as exemplified by a double-blind, crossover study of immediate-release versus controlled-release morphine, *Journal of Pain and Symptom Management*. 7 (1992) 384–392. doi:10.1016/0885-3924(92)90017-C.

- [59] E. De Stefani, P. Boffetta, H. Deneo-Pellegrini, A.L. Ronco, D. Aune, G. Acosta, P. Brennan, M. Mendilaharsu, G. Ferro, Meat intake, meat mutagens and risk of lung cancer in Uruguayan men, *Cancer Causes & Control*. 20 (2009) 1635–1643. doi:10.1007/s10552-009-9411-2.
- [60] S. Diciotti, S. Lombardo, G. Coppini, L. Grassi, M. Falchini, M. Mascalchi, The Characteristic Scale: A Consistent Measurement of Lung Nodule Size in CT Imaging, *Medical Imaging, IEEE Transactions on*. 29 (2010) 397–409. doi:10.1109/TMI.2009.2032542.
- [61] M.A. Diefenbach, N.E. Mohamed, B.P. Butz, N. Bar-Chama, R. Stock, J. Cesaretti, W. Hassan, D. Samadi, S.J. Hall, Acceptability and preliminary feasibility of an Internet/CD-ROM-based education and decision program for early-stage prostate cancer patients: Randomized pilot study, *Journal of Medical Internet Research*. 14 (2012) 262–275. doi:10.2196/jmir.1891.
- [62] A. Dobra, C. Hans, B. Jones, J.R. Nevins, G. Yao, M. West, Sparse graphical models for exploring gene expression data, *Journal of Multivariate Analysis*. 90 (2004) 196–212. doi:10.1016/j.jmva.2004.02.009.
- [63] C.E. Donaghey, Design history of a cell kinetics simulation language, *Journal Of Medical Systems*. 3 (1979) 19–44.
- [64] G.W. Donaldson, C.M. Moinpour, Individual differences in quality-of-life treatment response, *Medical Care*. 40 (2002) III–39–III–53. doi:10.1097/00005650-200206001-00007.
- [65] L. Donelle, L. Hoffman-Goetz, S. Gatobu, J.F. Arocha, Comprehension of Internet-based numeric cancer information by older adults, *Informatics For Health & Social Care*. 34 (2009) 209–224. doi:10.3109/17538150903358552.
- [66] T.D. Donovan, Looking for Cancer: Expertise Related Differences in Searching and Decision Making, *Applied Cognitive Psychology*. 27 (2013) 43–49. doi:10.1002/acp.2869.
- [67] H. Dowst, B. Pew, C. Watkins, M. Dehart, A. McOwiti, J. Barney, W. Wu, W. Davidson, R. Gibbs, L. Becnel, Acquire: A cancer biobank data management and reporting tool, *Biopreservation and Biobanking*. 11 (2013) A7.
- [68] J.M. Drake, J. Prudencio, S. Holowaka, J.T. Rutka, H.J. Hoffman, R.P. Humphreys, Frameless stereotaxy in children, *Pediatric Neurosurgery*. 20 (1994) 152–159.
- [69] C.L. Dransfeld, H. Alborzinia, S. Wolfl, U. Mahlknecht, Continuous multiparametric monitoring of cell metabolism in response to transient overexpression of the sirtuin deacetylase SIRT3, *Clinical Epigenetics*. 1 (2010) 55–60.
- [70] V. D’Souza, E. Blouin, A. Zeitouni, K. Muller, P.J. Allison, An investigation of the effect of tailored information on symptoms of anxiety and depression in Head and Neck cancer patients, *Oral Oncology*. 49 (2013) 431–437. doi:10.1016/j.oraloncology.2012.12.001.
- [71] D. Dupplaw, S. Dasmahapatra, H.U. Bo, P. Lewis, N. Shadbolt, A Distributed, Service-Based Framework for Knowledge Applications With Multimedia, *ACM Transactions on Information Systems*. 27 (2009) 22:1–22:29.
- [72] F. Eibner, J. Barth, A. Helmes, J. Bengel, Variations in subjective breast cancer risk estimations when using different measurements for assessing breast cancer risk perception, *Health, Risk and Society*. 8 (2006) 197–210.
- [73] B.M. Ellingson, H.J. Kim, D.C. Woodworth, W.B. Pope, J.N. Cloughesy, R.J. Harris, A. Lai, P.L. Nghiemphu, T.F. Cloughesy, Recurrent glioblastoma treated with bevacizumab: contrast-enhanced T1-weighted subtraction maps improve tumor delineation and aid prediction of survival in a multicenter clinical trial, *Radiology*. 271 (2014) 200–210. doi:10.1148/radiol.13131305.
- [74] K.M. Emonds, M. Kooze, C. Casteels, L. Van den Bergh, G.M. Bormans, F. Claus, L. De Wever, E. Lerut, H. Van Poppel, S. Joniau, H. Dumez, K. Haustermans, L. Mortelmans, K. Goffin, K. Van Laere, C.M. Deroose, F.M. Mottaghy, 18F-MK-9470 pet imaging of the type 1 cannabinoid receptor in prostate carcinoma: A pilot study, *EJNMMI Research*. 3 (2013).
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed11&NEWS=N&AN=2013707901>

- [75] R.S. Evans, K.G. Kuttler, K.J. Simpson, S. Howe, P.F. Crossno, K.V. Johnson, M.N. Schreiner, J.F. Lloyd, W.H. Tettelbach, R.K. Keddington, A. Tanner, C. Wilde, T.P. Clemmer, Automated detection of physiologic deterioration in hospitalized patients, *Journal of the American Medical Informatics Association*. 22 (2015) 350–360. doi:10.1136/amiajnl-2014-002816.
- [76] A.F. Eweas, N.M. Khalifa, N.S. Ismail, M.A. Al-Omar, A.M.M. Soliman, Synthesis, molecular docking of novel 1,8-naphthyridine derivatives and their cytotoxic activity against HepG2 cell lines, *Medicinal Chemistry Research*. 23 (2014) 76–86.
- [77] R.L. Ferrer, J.M. Gill, Shared decision making, contextualized, *Annals of Family Medicine*. 11 (2013) 303–305. doi:10.1370/afm.1551.
- [78] D.J. Foran, D. Comaniciu, P. Meer, L.A. Goodell, Computer-assisted discrimination among malignant lymphomas and leukemia using immunophenotyping, intelligent image repositories, and telemicroscopy, *Information Technology in Biomedicine, IEEE Transactions on*. 4 (2000) 265–273. doi:10.1109/4233.897058.
- [79] S. Fraser-Bell, C. Pavesio, Advances in the treatment of intermediate and posterior uveitis, *Expert Review of Ophthalmology*. 3 (2008) 449–455.
- [80] T. Freeman-Wang, P. Walker, J. Linehan, C. Coffey, B. Glasser, L. Sherr, Anxiety levels in women attending colposcopy clinics for treatment for cervical intraepithelial neoplasia: a randomised trial of written and video information, *BJOG: An International Journal Of Obstetrics And Gynaecology*. 108 (2001) 482–484.
- [81] V. Freimuth, The Health Information National Trends Survey (HINTS): Development, Design, and Dissemination, *Journal of Health Communication*. 9 (2004) 483–484. doi:10.1080/10810730490504323.
- [82] A.J.A.O.H.W. Friede, CDC WONDER: A Comprehensive On-Line Public Health Information System of the Centers for Disease Control and Prevention, *American Journal of Public Health*. 83 (9) 1289–1294.
- [83] H. Friederichs, S. Ligges, A. Weissenstein, Using Tree Diagrams without Numerical Values in Addition to Relative Numbers Improves Students' Numeracy Skills: A Randomized Study in Medical Education, *Medical Decision Making*. 34 (2014) 253–257. doi:10.1177/0272989X13504499.
- [84] C.D. Fuller, J. Nijkamp, J.C. Duppen, C.R.N. Rasch, C.R. Thomas Jr., S.J. Wang, P. Okunieff, W.E. Jones 3rd, D. Baseman, S. Patel, C.G.N. Demandante, A.M. Harris, B.D. Smith, A.W. Katz, C. McGann, J.L. Harper, D.T. Chang, S. Smalley, D.T. Marshall, K.A. Goodman, N. Papanikolaou, L.A. Kachnic, Prospective randomized double-blind pilot study of site-specific consensus atlas implementation for rectal cancer target volume delineation in the cooperative group setting, *International Journal Of Radiation Oncology, Biology, Physics*. 79 (2011) 481–489. doi:10.1016/j.ijrobp.2009.11.012.
- [85] S.S. Fuller, D. Revere, P.F. Bugni, G.M. Martin, A knowledgebase system to enhance scientific discovery: Telemakus, *Biomedical Digital Libraries*. 1 (2004) 2–15. doi:10.1186/1742-5581-1-2.
- [86] C. Furth, I.G. Steffen, A.S. Erdrich, P. Hundsdoerfer, J. Ruf, G. Henze, S. Schonberger, H. Amthauer, H. Hautzel, Explorative analyses on the value of interim PET for prediction of response in pediatric and adolescent non-Hodgkin lymphoma patients, *EJNMMI Research*. 3 (2013) 1–11.
- [87] M. Furusawa, Y. Yamashita, A. Arakawa, J. Urata, N. Otsuka, Y. Korogi, M. Takahashi, M. Eura, T. Ishikawa, Sonography of the parotid gland: Statistical approach, *Ultrasound International*. 4 (1998) 20–26.
- [88] U. Ganswindt, D. Schilling, A.-C. Müller, R. Bares, P. Bartenstein, C. Belka, Distribution of prostate sentinel nodes: a SPECT-derived anatomic atlas, *International Journal Of Radiation Oncology, Biology, Physics*. 79 (2011) 1364–1372. doi:10.1016/j.ijrobp.2010.01.012.
- [89] A.R. Giovagnoli, M. Casazza, E. Ciceri, G. Avanzini, G. Broggi, Preserved memory in temporal lobe epilepsy patients after surgery for low-grade tumour: A pilot study, *Neurological Sciences*. 28 (2007) 251–258. doi:10.1007/s10072-007-0831-z.

- [90] J.D. Goldhaber-Fiebert, S.J. Goldie, Estimating the cost of cervical cancer screening in five developing countries, *Cost Effectiveness and Resource Allocation*. 4 (2006). <http://www.resource-allocation.com/content/4/1/13>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed7&NEWS=N&AN=2006456987>.
- [91] S.E. Gollust, L. Attanasio, A. Dempsey, A.M. Benson, E.F. Fowler, Political and news media factors shaping public awareness of the HPV vaccine, *Women's Health Issues*. 23 (2013) e143–e151. doi:10.1016/j.whi.2013.02.001.
- [92] F.F. Gonzalez-Navarro, L.A. Belanche-Munoz, E. Romero, A. Vellido, M. Julia-Sape, C. Arus, Feature and model selection with discriminatory visualization for diagnostic classification of brain tumors, *Neurocomputing*. 73 (2010) 622–632.
- [93] K.A. Goodman, W.F. Regine, L.A. Dawson, E. Ben-Josef, K. Haustermans, W.R. Bosch, J. Turian, R.A. Abrams, Radiation Therapy Oncology Group consensus panel guidelines for the delineation of the clinical target volume in the postoperative treatment of pancreatic head cancer, *International Journal Of Radiation Oncology, Biology, Physics*. 83 (2012) 901–908. doi:10.1016/j.ijrobp.2012.01.022.
- [94] A.B. Gottlieb, R.T. Matheson, N. Lowe, G.G. Krueger, S. Kang, B.S. Goffe, A.A. Gaspari, M. Ling, G.D. Weinstein, A. Nayak, K.B. Gordon, R. Zitnik, A randomized trial of etanercept as monotherapy for psoriasis, *Archives Of Dermatology*. 139 (2003) 1627–1632.
- [95] C. Grau, J. Prakash Agarwal, K. Jabeen, A. Rab Khan, S. Abeyakoon, T. Hadjieva, I. Wahid, S. Turkan, H. Tatsuzaki, K.A. Dinshaw, J. Overgaard, Radiotherapy with or without mitomycin c in the treatment of locally advanced head and neck cancer: results of the IAEA multicentre randomised trial, *Radiotherapy And Oncology: Journal Of The European Society For Therapeutic Radiology And Oncology*. 67 (2003) 17–26.
- [96] A. Grigoras, P. Lee, F. Sattar, G. Shorten, Perioperative intravenous lidocaine decreases the incidence of persistent pain after breast surgery, *The Clinical Journal of Pain*. 28 (2012) 567–572. doi:10.1097/AJP.0b013e31823b9cc8.
- [97] P. Günther, S. Ley, J. Tröger, O. Witt, F. Autschbach, S. Holland-Cunz, J.P. Schenk, 3D perfusion mapping and virtual surgical planning in the treatment of pediatric embryonal abdominal tumors, *European Journal Of Pediatric Surgery: Official Journal Of Austrian Association Of Pediatric Surgery ... [Et Al] = Zeitschrift Für Kinderchirurgie*. 18 (2008) 7–12. doi:10.1055/s-2007-989374.
- [98] D.A. Gutman, J. Cobb, D. Somanna, Y. Park, W. Fusheng, T. Kurc, J.H. Saltz, D.J. Brat, L.A.D. Cooper, Cancer Digital Slide Archive: an informatics resource to support integrated in silico analysis of TCGA pathology data, *Journal of the American Medical Informatics Association*. 20 (2013) 1091–1098. doi:10.1136/amiajnl-2012-001469.
- [99] D.A. Hamstra, S.B. Johnson, S. Daignault, B.J. Zikmund-Fisher, J.M.G. Taylor, K. Larkin, A. Wood, A. Fagerlin, The impact of numeracy on verbatim knowledge of the longitudinal risk for prostate cancer recurrence following radiation therapy, *Medical Decision Making*. 35 (2015) 27–36. doi:10.1177/0272989X14551639.
- [100] A.O. Hamza, M.D. El-Sanosi, A.K. Habbani, N.A. Mustafa, M.O. Khider, Computer-aided detection of benign tumors of the female breast, *Journal of Clinical Engineering*. 38 (2013) 32–37.
- [101] C. Hang, H. Ju, A. Borowsky, L. Loss, J.W. Gray, P.T. Spellman, B. Parvin, Invariant Delineation of Nuclear Architecture in Glioblastoma Multiforme for Clinical and Molecular Association, *Medical Imaging, IEEE Transactions on*. 32 (2013) 670–682. doi:10.1109/TMI.2012.2231420.
- [102] N.J. Harding, J.M. Birch, S.J. Hepworth, P.A. McKinney, Infectious exposure in the first year of life and risk of central nervous system tumors in children: Analysis of day care, social contact, and overcrowding, *Cancer Causes & Control*. 20 (2009) 129–136. doi:10.1007/s10552-008-9224-8.
- [103] P.R. Harris, E. Sillence, P. Briggs, The Effect of Credibility-Related Design Cues on Responses to a Web-Based Message About the Breast Cancer Risks From Alcohol: Randomized Controlled Trial, *Journal of Medical Internet Research*. 11 (2009) 15–15. doi:10.2196/jmir.1097.

- [104] K.H. Hellton, M. Thoresen, The impact of measurement error on principal component analysis, *Scandinavian Journal of Statistics*. 41 (2014) 1051–1063. doi:10.1111/sjos.12083.
- [105] B.M. Hemminger, A.W. Dillon, R.E. Johnston, K.E. Muller, M.C. Deluca, C.S. Coffey, E.D. Pisano, Effect of display luminance on the feature detection rates of masses in mammograms, *Medical Physics*. 26 (1999) 2266–2272.
- [106] L. Henneman, J.C. Oosterwijk, C.J. van Asperen, F.H. Menko, C.F. Ockhuysen-Vermey, P.J. Kostense, L. Claassen, D.R. Timmermans, The effectiveness of a graphical presentation in addition to a frequency format in the context of familial breast cancer risk communication: a multicenter controlled trial, *BMC Medical Informatics And Decision Making*. 13 (2013) 55–55. doi:10.1186/1472-6947-13-55.
- [107] B.W. Hesse, E. Beckjord, L.J.F. Rutten, A. Fagerlin, L.D. Cameron, Cancer communication and informatics research across the cancer continuum, *American Psychologist*. 70 (2015) 198–210. doi:10.1037/a0036852.
- [108] D.L. Hilarius, P.H. Kloeg, C.M. Gundy, N.K. Aaronson, Use of health-related quality-of-life assessments in daily clinical oncology nursing practice: A community hospital-based intervention study, *Cancer*. 113 (2008) 628–637. doi:10.1002/cncr.23623.
- [109] N.H.I. Hjollund, L.P. Larsen, K. Biering, S.P. Johnsen, E. Riiskjær, L.M. Schougaard, G. Eysenbach, Use of Patient-Reported Outcome (PRO) Measures at Group and Patient Levels: Experiences From the Generic Integrated PRO System, *WestChronic, Journal of Medical Internet Research*. 16 (2014) 1–1. doi:10.2196/ijmr.2885.
- [110] B.K. Hoover, D.E. Foliart, W.H. White, A.J. Cohen, L.J. Calisti, D. Krewski, M.S. Goldberg, Retrospective Data Quality Audits of the Harvard Six Cities and American Cancer Society Studies, *Journal of Toxicology & Environmental Health: Part A*. 66 (2003) 1553.
- [111] C.C. Huang, X. Yu, P.S. Conti, Computer-aided lesion detection with statistical model-based features in PET images, *Nuclear Science, IEEE Transactions on*. 44 (1997) 2509–2521. doi:10.1109/23.656460.
- [112] T. Huang, W. Wu, H. Jin, Y.D. Cai, Gene sets of gene ontology are more stable diagnostic biomarkers than genes in oral squamous cell carcinoma, *Current Bioinformatics*. 8 (2013) 577–582.
- [113] W. Huda, K.M. Ogden, E.M. Scalzetti, D.R. Dance, E.A. Bertrand, How do lesion size and random noise affect detection performance in digital mammography?, *Academic Radiology*. 13 (2006) 1355–1366.
- [114] B.R. Hughes, D.G. Altman, J.A. Newton, Melanoma and skin cancer: evaluation of a health education programme for secondary schools, *The British Journal Of Dermatology*. 128 (1993) 412–417.
- [115] K.M. Iftikharuddin, S. Ahmed, J. Hossen, Multiresolution texture models for brain tumor segmentation in MRI, *Conference Proceedings: ... Annual International Conference Of The IEEE Engineering In Medicine And Biology Society. IEEE Engineering In Medicine And Biology Society. Annual Conference*. 2011 (2011) 6985–6988. doi:10.1109/IEMBS.2011.6091766.
- [116] A. Ihrig, W. Herzog, C.G. Huber, B. Hadaschik, S. Pahernik, M. Hohenfellner, J. Huber, Multimedia support in preoperative patient education for radical prostatectomy: the physicians' point of view, *Patient Education And Counseling*. 87 (2012) 239–242. doi:10.1016/j.pec.2011.08.014.
- [117] G. Iinuma, K. Ushio, T. Ishikawa, S. Nawano, R. Sekiguchi, M. Satake, Diagnosis of gastric cancers: comparison of conventional radiography and digital radiography with a 4 million-pixel charge-coupled device, *Radiology*. 214 (2000) 497–502.
- [118] V. Interrante, H. Fuchs, S.M. Pizer, Conveying the 3D shape of smoothly curving transparent surfaces via texture, *Visualization and Computer Graphics, IEEE Transactions on*. 3 (1997) 98–117. doi:10.1109/2945.597794.

- [119] R.D. Isokpehi, U.K. Udensi, M.N. Anyanwu, A.N. Mbah, M.O. Johnson, K. Edusei, M.A. Bauer, R.A. Hall, O.R. Awofolu, Knowledge building insights on biomarkers of arsenic toxicity to keratinocytes and melanocytes, *Biomarker Insights*. 7 (2012) 127–141.
- [120] K. Ito, K. Shimoji, Y. Miyata, K. Kamiya, R. Minamimoto, K. Kubota, M. Okasaki, M. Morooka, J. Yokoyama, Prognostic value of post-treatment¹⁸F-FDG PET/CT for advanced head and neck cancer after combined intra-arterial chemotherapy and radiotherapy, *Chinese Journal of Cancer Research*. 26 (2014) 30–37.
- [121] S. Iyer, W.R. Doucette, Factors influencing physician recommendation for imatinib mesylate in chronic phase chronic myeloid leukemia, *Drug Information Journal*. 40 (2006) 141–153.
- [122] M. Jacob, N. Mawar, L. Menezes, S. Kaipilyawar, S. Gandhi, I. Khan, M. Patki, A. Bingham, D.S. Lamontagne, R. Bagul, T. Katendra, N. Karandikar, V. Madge, K. Chaudhry, R. Paranjape, A. Nayyar, Assessing the environment for introduction of human papillomavirus vaccine in India, *Open Vaccine Journal*. 3 (2010) 96–107.
- [123] P.B. Jacobsen, D.H. Bovbjerg, M.D. Schwartz, C.A. Hudis, T.A. Gilewski, L. Norton, Conditioned emotional distress in women receiving chemotherapy for breast cancer, *Journal of Consulting and Clinical Psychology*. 63 (1995) 108–114. doi:10.1037/0022-006X.63.1.108.
- [124] S. Jacquin-Courtois, P.M. Bays, R. Saleme, A.P. Leff, M. Husain, Rapid compensation of visual search strategy in patients with chronic visual field defects, *Cortex; A Journal Devoted To The Study Of The Nervous System And Behavior*. 49 (2013) 994–1000. doi:10.1016/j.cortex.2012.03.025.
- [125] S.J.T.S.A.M.N.M.A.K.J. Jansen, The effect of individually assessed preference weights on the relationship between holistic utilities and nonpreference-based assessment, *Quality of Life Research*. 9 (5) 541–557.
- [126] C. Jin, A.M. MacEachren, D.J. Peuquet, Constructing Overview + Detail Dendrogram-Matrix Views, *Visualization and Computer Graphics, IEEE Transactions on*. 15 (2009) 889–896. doi:10.1109/TVCG.2009.130.
- [127] D.A. John, I. Kawachi, C.S. Lathan, J.Z. Ayanian, Disparities in perceived unmet need for supportive services among patients with lung cancer in the cancer care outcomes research and surveillance consortium, *Cancer*. 120 (2014) 3178–3191. doi:10.1002/cncr.28801.
- [128] J.P. Johnson, E.A. Krupinski, M. Yan, H. Roehrig, A.R. Graham, R.S. Weinstein, Using a Visual Discrimination Model for the Detection of Compression Artifacts in Virtual Pathology Images, *Medical Imaging, IEEE Transactions on*. 30 (2011) 306–314. doi:10.1109/TMI.2010.2077308.
- [129] S. Joo, Y.S. Yang, W.K. Moon, H.C. Kim, Computer-aided diagnosis of solid breast nodules: use of an artificial neural network based on multiple sonographic features, *IEEE Transactions On Medical Imaging*. 23 (2004) 1292–1300.
- [130] A. Jucha, A. Wegierek-Ciuk, Z. Koza, H. Lisowska, A. Wojcik, M. Wojewodzka, A. Lankoff, FociCounter: A freely available PC programme for quantitative and qualitative analysis of gamma-H2AX foci, *Mutation Research - Genetic Toxicology and Environmental Mutagenesis*. 696 (2010) 16–20.
- [131] B. Kalicki, A. Jung, F. Ring, A. Rustecka, A. Zylak, J. Zuber, P. Murawski, K. Biliska, W. Wozniak, Infrared thermography assessment of infantile hemangioma treatment by propranolol, *Thermology International*. 22 (2012) 102–103.
- [132] A. Kaufman, E. Augustson, K. Davis, L.J.F. Rutten, Awareness and use of tobacco quitlines: Evidence from the Health Information National Trends Survey, *Journal of Health Communication*. 15 (2010) 264–278. doi:10.1080/10810730.2010.526172.
- [133] B. Kazanowska, A. Reich, M. Jelen, T. Szkudlarek, A. Chybicka, Ki-67 expression in soft tissue sarcomas in children, *Nowotwory*. 54 (2004) 347–353.
- [134] Y. Kenjo, Y. Antoku, K. Akazawa, E. Hanada, N. Kinukawa, Y. Nose, An easily customized, random allocation system using the minimization method for multi-institutional clinical trials, *Computer Methods And Programs In Biomedicine*. 62 (2000) 45–49.

- [135] S. Kereakoglow, R. Gelman, A.H. Partridge, Evaluating the effect of esthetically enhanced materials compared to standard materials on clinician response rates to a mailed survey, *International Journal of Social Research Methodology: Theory & Practice*. 16 (2013) 301–306. doi:10.1080/13645579.2012.682430.
- [136] S.H. Kim, K.S. Won, B.W. Choi, I. Jo, S.K. Zeon, W.J. Chung, J.H. Kwon, Usefulness of F-18 FDG PET/CT in the Evaluation of Early Treatment Response After Interventional Therapy for Hepatocellular Carcinoma, *Nuclear Medicine and Molecular Imaging*. 46 (2012) 102–110.
- [137] T. Kiuchi, Y. Ohashi, M. Konishi, Y. Bandai, T. Kosuge, T. Kakizoe, A World Wide Web-based user interface for a data management system for use in multi-institutional clinical trials--development and experimental operation of an automated patient registration and random allocation system, *Controlled Clinical Trials*. 17 (1996) 476–493.
- [138] D. Klimov, Y. Shahar, M. Taieb-Maimon, Intelligent visualization and exploration of time-oriented data of multiple patients, *Artificial Intelligence in Medicine*. 49 (2010) 11–31. doi:10.1016/j.artmed.2010.02.001.
- [139] S. Kothari, J.H. Phan, T.H. Stokes, M.D. Wang, Pathology imaging informatics for quantitative analysis of whole-slide images, *Journal of the American Medical Informatics Association*. 20 (2013) 1099–1108. doi:10.1136/amiajnl-2012-001540.
- [140] S.I. Kovalenko, I.S. Nosulenko, A.Y. Voskoboynik, G.G. Berest, L.N. Antipenko, A.N. Antipenko, A.M. Katsev, Novel N-aryl(alkaryl)-2-[(3-R-2-oxo-2H-[1,2,4]triazino[2,3-c]quinazoline-6-yl)thio]acetamides: Synthesis, cytotoxicity, anticancer activity, COMPARE analysis and docking, *Medicinal Chemistry Research*. 22 (2013) 2610–2632.
- [141] C. Kowalski, E. Kahana, K. Kuhr, L. Ansmann, H. Pfaff, Changes Over Time in the Utilization of Disease-Related Internet Information in Newly Diagnosed Breast Cancer Patients 2007 to 2013, *Journal of Medical Internet Research*. 16 (2014) 1–1. doi:10.2196/jmir.3289.
- [142] M. Kramer, C. Schmalenberg, B.B. Brewer, J.A. Verran, J. Keller-Unger, Accurate assessment of clinical nurses' work environments: Response rate needed, *Research in Nursing & Health*. 32 (2009) 229–240. doi:10.1002/nur.20315.
- [143] R.L. Kravitz, J.P. Delafield, R.D. Hays, R. Drazin, M. Conolly, Bedside charting of pain levels in hospitalized patients with cancer: A randomized controlled trial, *Journal of Pain and Symptom Management*. 11 (1996) 81–87. doi:10.1016/0885-3924(95)00155-7.
- [144] K.B. Krug, H. Stützer, R. Girnus, M. Zähringer, A. Gossmann, G. Winnekendonk, K. Lackner, Image quality of digital direct flat-panel mammography versus an analog screen-film technique using a phantom model, *AJR. American Journal Of Roentgenology*. 188 (2007) 399–407.
- [145] S. Kularatna, J.A. Whitty, N.W. Johnson, P.A. Scuffham, Study protocol for valuing EQ-5D-3L and EORTC-8D health states in a representative population sample in Sri Lanka, *Health And Quality Of Life Outcomes*. 11 (2013) 149–149. doi:10.1186/1477-7525-11-149.
- [146] C. Lee, J. Niederdeppe, Genre-specific cultivation effects: Lagged associations between overall TV viewing, local TV news viewing, and fatalistic beliefs about cancer prevention, *Communication Research*. 38 (2011) 731–753. doi:10.1177/0093650210384990.
- [147] C.L. Lee, L.P. Hsu, P.R. Chen, C.F. Lee, Computer aided design for three-dimensional visualization and modeling of middle ear biomechanics, *Tzu Chi Medical Journal*. 18 (2006) 416–422.
- [148] J.H. Lee, W.A. Lee, S.G. Park, D.K. Park, H. Namgung, Relationship Between Dual-Time Point FDG PET and Immunohistochemical Parameters in Preoperative Colorectal Cancer: Preliminary Study, *Nuclear Medicine and Molecular Imaging*. 46 (2012) 48–56.
- [149] J.P. Leigh, D. Tancredi, A. Jerant, P.S. Romano, R.L. Kravitz, Lifetime earnings for physicians across specialties, *Medical Care*. 50 (2012) 1093–1101. doi:10.1097/MLR.0b013e318268ac0c.

- [150] M. Lelonek, A. Machraoui, Value of lesion morphology and of residual stenosis in predicting late clinical outcomes and restenosis rate post-PTCA in single-vessel disease, *International Journal of Angiology*. 8 (1999) 33–35.
- [151] E. Le Rhun, F. Massin, Q. Tu, J. Bonnetterre, M.D.C. Bittencourt, G.C. Faure, Development of a new method for identification and quantification in cerebrospinal fluid of malignant cells from breast carcinoma leptomeningeal metastasis, *BMC Clinical Pathology*. 12 (2012).
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed11&NEWS=N&AN=2013025232>.
- [152] A. Lewis, D.W. Harkin, A.A.B.B. D'Sa, K. McCallion, M.I. Halliday, F.C. Campbell, Primed neutrophils in the venous effluent convert local to systemic inflammation after limb ischaemia-reperfusion injury, *British Journal of Surgery*. 88 (2001) 3.
- [153] H. Lim, M.J. Chung, G. Lee, M. Yie, K.E. Shin, J.W. Moon, K.S. Lee, Interpretation of digital chest radiographs: comparison of light emitting diode versus cold cathode fluorescent lamp backlit monitors, *Korean Journal Of Radiology*. 14 (2013) 968–976. doi:10.3348/kjr.2013.14.6.968.
- [154] S.M. Lin, Ultrasonography-Guided Radiofrequency Ablation in Hepatocellular Carcinoma: Current Status and Future Perspectives, *Journal of Medical Ultrasound*. 21 (2013) 9–15.
- [155] C. Lujie, R.J. Housden, G.M. Treece, A.H. Gee, R.W. Prager, A normalization method for axial-shear strain elastography, *Ultrasonics, Ferroelectrics, and Frequency Control*, IEEE Transactions on. 57 (2010) 2833–2838. doi:10.1109/TUFFC.2010.1757.
- [156] R.C. Macefield, K.N.L. Avery, J.M. Blazeby, Integration of clinical and patient-reported outcomes in surgical oncology, *British Journal of Surgery*. 100 (2013) 28–37. doi:10.1002/bjs.8989.
- [157] K.L.V.S.S.S. MacLaughlin, To Screen or Not to Screen: Is the Pelvic Examination the Answer?, *Journal of Women's Health* (15409996). 24 (7) 616–618. doi:10.1089/jwh.2015.5311.
- [158] P.B. Madhamshettiwar, S.R. Maetschke, M.J. Davis, A. Reverter, M.A. Ragan, Gene regulatory network inference: Evaluation and application to ovarian cancer allows the prioritization of drug targets, *Genome Medicine*. 4 (2012). <http://genomemedicine.com/content/4/5/41>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=2012363078>.
- [159] R. Mahabaleshwarkar, R. Khanna, D. West-Strunn, Y. Yang, Association between health-related quality of life and colorectal cancer screening, *Population Health Management*. 16 (2013) 178–189.
- [160] P. Mahé, J.-P. Vert, Graph kernels based on tree patterns for molecules, *Machine Learning*. 75 (2009) 3–35. doi:10.1007/s10994-008-5086-2.
- [161] M.J.B.J.A.C.P.M. Mallen, Using technology to serve patients and practitioners: A comprehensive tobacco-cessation program for cancer patients, *Counselling & Psychotherapy Research*. 6 (9) 130–135. doi:10.1080/14733140600857550.
- [162] S. Manne, D. Kashy, T. Albrecht, Y. -N Wong, A.L. Flamm, A.B. Benson III, S.M. Miller, L. Fleisher, J. Buzaglo, N. Roach, M. Katz, E. Ross, M. Collins, D. Poole, S. Raivitch, D.M. Miller, T.G. Kinzy, T. Liu, N.J. Meropol, Attitudinal barriers to participation in oncology clinical trials: Factor analysis and correlates of barriers, *European Journal of Cancer Care*. 24 (2015) 28–38. doi:10.1111/ecc.12180.
- [163] A. Marchevsky, J. Gil, D. Silage, Computerized interactive morphometry as a potentially useful tool for the classification of non-Hodgkin's lymphomas, *Cancer*. 57 (1986) 1544–1549.
- [164] S.B. Martins, Y. Shahar, D. Goren-Bar, M. Galperin, H. Kaizer, L.V. Basso, D. McNaughton, M.K. Goldstein, Evaluation of an architecture for intelligent query and exploration of time-oriented clinical data, *Artificial Intelligence In Medicine*. 43 (2008) 17–34. doi:10.1016/j.artmed.2008.03.006.
- [165] M. Maschio, L. Dinapoli, F. Sperati, A. Pace, A. Fabi, A. Vidiri, A. Pompili, C.M. Carapella, Effect of pregabalin add-on treatment on seizure control, quality of life, and anxiety in patients with brain tumour-related epilepsy: A pilot study, *Epileptic Disorders*. 14 (2012) 388–397.

- [166] G.R. Maslow, A. Haydon, A.-L. McRee, C.A. Ford, C.T. Halpern, Growing up with a chronic illness: Social success, educational/vocational distress, *Journal of Adolescent Health*. 49 (2011) 206–212. doi:10.1016/j.jadohealth.2010.12.001.
- [167] E.L. McGarvey, M. Leon-Verdin, L.D. Baum, K. Bloomfield, D.R. Brenin, C. Koopman, S. Acton, B. Clark, B.E. Parker Jr., An evaluation of a computer-imaging program to prepare women for chemotherapy-related alopecia, *Psycho-Oncology*. 19 (2010) 756–766. doi:10.1002/pon.1637.
- [168] R.J. McGough, M.L. Kessler, E.S. Ebbini, C.A. Cain, Treatment planning for hyperthermia with ultrasound phased arrays, *Ultrasonics, Ferroelectrics, and Frequency Control*, IEEE Transactions on. 43 (1996) 1074–1084. doi:10.1109/58.542051.
- [169] G. McLennan, J.S. Ferguson, K. Thomas, A.S. Delsing, J. Cook-Granroth, E.A. Hoffman, The use of MDCT-based computer-aided pathway finding for mediastinal and perihilar lymph node biopsy: a randomized controlled prospective trial, *Respiration; International Review Of Thoracic Diseases*. 74 (2007) 423–431.
- [170] A.G.K. McNair, S.T. Brookes, C.R. Davis, M. Argyropoulos, J.M. Blazeby, Communicating the results of randomized clinical trials: do patients understand multidimensional patient-reported outcomes?, *Journal Of Clinical Oncology: Official Journal Of The American Society Of Clinical Oncology*. 28 (2010) 738–743. doi:10.1200/JCO.2009.23.9111.
- [171] P. McNees, K.H. Dow, V.W. Loerzel, Application of the CuSum Technique to Evaluate Changes in Recruitment Strategies, *Nursing Research*. 54 (2005) 399–405. doi:10.1097/00006199-200511000-00006.
- [172] H.T. Mermelstein, J.C. Holland, Psychotherapy by telephone: A therapeutic tool for cancer patients, *Psychosomatics: Journal of Consultation and Liaison Psychiatry*. 32 (1991) 407–412. doi:10.1016/S0033-3182(91)72042-2.
- [173] T. Miyagawa, S. Ishikawa, T. Kimura, T. Suetomi, M. Tsutsumi, T. Irie, M. Kondoh, T. Mitake, Real-time Virtual Sonography for navigation during targeted prostate biopsy using magnetic resonance imaging data, *International Journal of Urology*. 17 (2010) 855–860. doi:10.1111/j.1442-2042.2010.02612.x.
- [174] M. Modrzejewska, G. Wilk, A. Falkowski, D. Karczewicz, B. Gorecka-Szyld, Clinical usefulness of color Doppler imaging in the management of the neck region vessels in patients with intraocular tumors - Preliminary report, *Polish Journal of Radiology*. 72 (2007) 26–29.
- [175] F.J. Moradiellos, The organ care system lung: A new and expected tool?, *Applied Cardiopulmonary Pathophysiology*. 17 (2013) 111–113.
- [176] F.J. Moradiellos, The Organ Care System Lung: A new and expected tool?, *Applied Cardiopulmonary Pathophysiology*. 17 (n.d.) 111–113.
- [177] I. Mueller, H. Mast, B.A. Sabel, Recovery of visual field defects: A large clinical observational study using vision restoration therapy, *Restorative Neurology and Neuroscience*. 25 (2007) 563–572.
- [178] M.A. Musen, An editor for the conceptual models of interactive knowledge-acquisition tools, *International Journal of Man-Machine Studies*. 31 (1989) 673–698. doi:10.1016/0020-7373(89)90021-7.
- [179] Y. Nakamura, E. Uchida, T. Nomura, T. Aimoto, S. Matsumoto, T. Tajiri, Laparoscopic pancreatic resection: some benefits of evolving surgical techniques, *Journal Of Hepato-Biliary-Pancreatic Surgery*. 16 (2009) 741–748. doi:10.1007/s00534-009-0140-4.
- [180] C.R. Newey, S. Hantus, Intravenous lacosamide is safe and effective in treating refractory status epilepticus in a critically-ill population: A large retrospective case series, *Epilepsy Currents*. 13 (2013) 272.
- [181] L.C.M. Ngoka, Dramatic down-regulation of oxidoreductases in human hepatocellular carcinoma hepG2 cells: Proteomics and gene ontology unveiling new frontiers in cancer enzymology, *Proteome Science*. 6 (2008).
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2009023597>.

- [182] S.A. Norman, S.L. Potashnik, M.L. Galantino, A.M. De Michele, L. House, A.R. Localio, Modifiable risk factors for breast cancer recurrence: What can we tell survivors?, *Journal of Women's Health*. 16 (2007) 177–190. doi:10.1089/jwh.2006.0047.
- [183] U. Nöthlings, K. Hoffmann, M.M. Bergmann, H. Boeing, Fitting Portion Sizes in a Self-Administered Food Frequency Questionnaire, *Journal of Nutrition*. 137 (2007) 2781–2786.
- [184] A.H.J. Ong, A.G. Pitman, S.Y. Tan, S. Gledhill, O. Hennessy, B. Lui, W. Lemish, P. Tauro, C. Styles, E. Pun, J. Waugh, M. Padmanabhan, A. Lee, Comparison of 3MP medical-grade to 1MP office-grade LCD monitors in mammographic diagnostic and perceptual performance, *Journal Of Medical Imaging And Radiation Oncology*. 55 (2011) 153–162. doi:10.1111/j.1754-9485.2011.02245.x.
- [185] M.L. Otten, C.B. Mikell, B.E. Youngerman, C. Liston, M.B. Sisti, J.N. Bruce, S.A. Small, G.M. McKhann II, Motor deficits correlate with resting state motor network connectivity in patients with brain tumours, *Brain: A Journal of Neurology*. 135 (2012) 1017–1026. doi:10.1093/brain/aws041.
- [186] I. Paiva, T. Amaral, H. Barros, Influence of individually estimated portion size on the assessment of nutritional risk in colorectal cancer in Portugal, *Journal of Human Nutrition and Dietetics*. 17 (2004) 529–536. doi:10.1111/j.1365-277X.2004.00563.x.
- [187] C. Palanivelu, P.S. Rajan, M. Rangarajan, V. Vaithiswaran, P. Senthilnathan, R. Parthasarathi, P. Praveen Raj, Evolution in techniques of laparoscopic pancreaticoduodenectomy: a decade long experience from a tertiary center, *Journal Of Hepato-Biliary-Pancreatic Surgery*. 16 (2009) 731–740. doi:10.1007/s00534-009-0157-8.
- [188] A. Papastergiou, P. Tzekis, A. Hatzigaidas, G. Tryfon, D. Ioannidis, Z. Zaharis, D. Kampitaki, P. Lazaridis, A web-based melanoma image diagnosis support system using topic map and AJAX technologies, *Informatics for Health & Social Care*. 33 (2008) 99–112. doi:10.1080/17538150802127256.
- [189] H.J. Park, S.H. Yang, I.S. Kim, J.H. Sung, B.C. Son, S.W. Lee, Surgical treatment of orbital tumors at a single institution, *Journal of Korean Neurosurgical Society*. 44 (2008) 146–150.
- [190] S.H. Park, J.S. Ryu, S.J. Oh, S.I. Park, Y.H. Kim, H.Y. Jung, G.H. Lee, H.J. Song, J.H. Kim, H.Y. Song, K.J. Cho, S.B. Kim, The Feasibility of 18F-Fluorothymidine PET for Prediction of Tumor Response after Induction Chemotherapy Followed by Chemoradiotherapy with S-1/Oxaliplatin in Patients with Resectable Esophageal Cancer, *Nuclear Medicine and Molecular Imaging*. 46 (2012) 57–64.
- [191] T. Park, S.-G. Yi, S. Lee, J.K. Lee, Diagnostic plots for detecting outlying slides in a cDNA microarray experiment, *Biotechniques*. 38 (2005) 463–471.
- [192] R. Parrott, S. Hopfer, C. Ghetian, E. Lengerich, Mapping as a visual health communication tool: Promises and dilemmas, *Health Communication*. 22 (2007) 13–24. doi:10.1080/10410230701310265.
- [193] D.F. Parsons, M. Marko, A. Leith, The relative merits of direct morphometry of reconstructions of whole cells, and statistical morphometry by stereology of random sections of cells, *Cell Biophysics*. 17 (1990) 227–242.
- [194] N. Peshev, I. Kostadinova, Basic clinical trends in the development of nuclear medicine (NM), *General Medicine*. 3 (2001) 39–42.
- [195] D. Petranovic, M. Drenovac, V. Taksic, I. Pavlovic-Ruzic, I. Roncevic-Grzeta, R. Dobrila-Dintinjana, A. Duletic-Nacinovic, Cognitive abilities of hematology-oncology patients in pre- and post-treatment of anemia measured with a Complex Reactimeter Drenovac (CRD), *Libri Oncologici*. 38 (2010) 5–7.
- [196] D. Petrochilos, A. Shojaie, J. Gennari, N. Abernethy, Using random walks to identify cancer-associated modules in expression data, *BioData Mining*. 6 (2013).
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed11&NEWS=N&AN=2013725310>.
- [197] R. Piazza, A. Pirola, R. Spinelli, S. Valletta, S. Redaelli, V. Magistroni, C. Gambacorti-Passerini, FusionAnalyser: a new graphical, event-driven tool for fusion rearrangements discovery, *Nucleic Acids Research*. 40 (2012) e123–e123. doi:10.1093/nar/gks394.

- [198] N. Pillay, S.T. Myles, J. Scott, J. Singh, S.W. Wiebe, Benign mesial temporal lobe epilepsy associated with isolated amygdala or amygdala and hippocampal enlargement, *Epilepsy Currents*. 11 (2011). <http://www.aesnet.org/file/volume-11-supplement-1>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=70830636>.
- [199] G.P. Quinn, B.A. Bell-Ellison, M.Y. Bell, V.D. Caraway, D. Conforte, L.B. Graci, A. Lewandowski, B. Reynolds, A. Shaffer, V.L. Powell-Stafford, A.L. Sapp, C.O. Shimizu, S. Vadaparampil, E.J. Vaughn, C. Williams, G. Bepler, A message of hope: Creation of the Faces of Lung Cancer Project for increasing awareness of clinical trials, *European Journal of Cancer Care*. 17 (2008) 601–610.
- [200] C. Rabin, S. Dunsiger, K.K. Ness, B.H. Marcus, Internet-based physical activity intervention targeting young adult cancer survivors, *Journal of Adolescent and Young Adult Oncology*. 1 (2012) 188–194.
- [201] N. Radakovic, D. McDougall, Using Dynamic Geometry Software for Teaching Conditional Probability with Area-Proportional Venn Diagrams, *International Journal of Mathematical Education in Science and Technology*. 43 (January 1) 949–953.
- [202] L.E. Radwin, A video programme plus a booklet was more effective than a booklet alone for increasing patient knowledge about lumbar spine treatment options for low back pain... commentary on Phelan EA, Deyo RA, Cherkin DC, et al. Helping patients decide about back surgery: a randomized trial of an interactive video program. *SPINE* 2001 Jan 15;26:206-12, *Evidence Based Nursing*. 4 (2001) 84–84.
- [203] K.J. Reid, J. Harker, M.M. Bala, C. Truyers, E. Kellen, G.E. Bekkering, J. Kleijnen, Epidemiology of chronic non-cancer pain in Europe: Narrative review of prevalence, pain treatments and pain impact, *Current Medical Research and Opinion*. 27 (2011) 449–462. doi:10.1185/03007995.2010.545813.
- [204] D.C. Reitsma, J. Mathis, J.L. Ulmer, W. Mueller, M.J. Maciejewski, E.A. DeYoe, Atypical retinotopic organization of visual cortex in patients with central brain damage: Congenital and adult onset, *The Journal of Neuroscience*. 33 (2013) 13010–13024.
- [205] A.M.N. Renzaho, B. Houn, J. Oldroyd, J.M. Nicholson, F. D’Esposito, B. Oldenburg, Stressful life events and the onset of chronic diseases among Australian adults: Findings from a longitudinal survey, *European Journal of Public Health*. 24 (2014) 57–62.
- [206] J. Riesmeier, M. Eichelberg, H.-P. Hellemann, J. Kieschke, T. Wilkens, Experiences with a workstation prototype for softcopy reading within the Bavarian mammography recertification program: workstations and education, *Academic Radiology*. 11 (2004) 407–418.
- [207] B.K. Rimer, E.J. Lyons, K.M. Ribisl, J.M. Bowling, C.E. Golin, M.J. Forlenza, A. Meier, How New Subscribers Use Cancer-Related Online Mailing Lists, *Journal of Medical Internet Research*. 7 (2005) N.PAG. doi:10.2196/jmir.7.3.e32.
- [208] S.K. Rosahl, A. Gharabaghi, U. Hubbe, R. Shahidi, M. Samii, Virtual reality augmentation in skull base surgery, *Skull Base*. 16 (2006) 59–66.
- [209] M. Rosenthal, A. State, J. Lee, G. Hirota, J. Ackerman, K. Keller, E. Pisano, M. Jiroutek, K. Muller, H. Fuchs, Augmented reality guidance for needle biopsies: an initial randomized, controlled trial in phantoms, *Medical Image Analysis*. 6 (2002) 313–320.
- [210] P. Royston, M.K.B. Parmar, D.G. Altman, Visualizing Length of Survival in Time-to-Event Studies: A Complement to Kaplan-Meier Plots, *JNCI: Journal of the National Cancer Institute*. (1) 92–97.
- [211] C. Sagonas, I. Marras, I. Kasampalidis, I. Pitas, K. Lyroutdia, G. Karayannopoulou, FISH image analysis using a modified radial basis function network, *Biomedical Signal Processing and Control*. 8 (2013) 30–40.
- [212] S.J. Sajjadi, Q. Xiaoning, Z. Bo, A.A. Adl, Network-Based Methods to Identify Highly Discriminating Subsets of Biomarkers, *Computational Biology and Bioinformatics, IEEE/ACM Transactions on*. 11 (2014) 1029–1037. doi:10.1109/TCBB.2014.2325014.

- [213] H.M. Sakr, M.A. Mohamed, H. Jalalod'din, Y.A. Abbas, Influence of fMRI on operative planning of brain tumors: Initial experience in a histopathologically variable subset of tumors, *Egyptian Journal of Radiology and Nuclear Medicine*. 42 (2011) 215–221.
- [214] E. Samei, A. Poolla, M.J. Ulissey, J.M. Lewin, Digital mammography: comparative performance of color LCD and monochrome CRT displays, *Academic Radiology*. 14 (2007) 539–546.
- [215] M. Sanghani, E. Balk, B. Cady, D. Wazer, Predicting the risk of local recurrence in patients with breast cancer: an approach to a new computer-based predictive tool, *American Journal Of Clinical Oncology*. 30 (2007) 473–480.
- [216] M. Santos, H. Eriksson, Making Quality Registers Supporting Improvements: A Systematic Review of the Data Visualization in 5 Quality Registries, *Quality Management in Health Care*. 23 (2014) 119–128. doi:10.1097/QMH.0000000000000021.
- [217] B. Sanz-Barbero, M.E. Prieto, N. Cambas, Factors associated with a positive attitude towards receiving cancer information: A population-based study in Spain, *Health Expectations: An International Journal of Public Participation in Health Care & Health Policy*. (2015). doi:10.1111/hex.12349.
- [218] K.T.M.T. Sato, Cricoid Area of the Larynx: Its Physiological and Pathological Significance, *Acta Oto-Laryngologica*. 122 (12) 882–886. doi:10.1080/003655402/000028062.
- [219] M.M. Schapira, A.B. Nattinger, T.L. McAuliffe, The Influence of Graphic Format on Breast Cancer Risk Communication, *Journal of Health Communication*. 11 (2006) 569–582. doi:10.1080/10810730600829916.
- [220] Y.D. Scherer, The Cell Cycle: An Activity Using Paper Plates to Represent Time Spent in Phases of the Cell Cycle, *American Biology Teacher*. 76 (January 9) 478–479.
- [221] J.E. Schewe, J.M. Balter, K.L. Lam, R.K. ten Haken, Measurement of patient setup errors using port films and a computer-aided graphical alignment tool, *Medical Dosimetry: Official Journal Of The American Association Of Medical Dosimetrists*. 21 (1996) 97–104.
- [222] M. Shahidi, S. Mozdarani, S. Shammash, Interindividual differences in radiation-induced apoptosis of peripheral blood leukocytes in normal individuals and breast cancer patients, *Iranian Journal of Radiation Research*. 9 (2012) 237–244.
- [223] N. Sharma, H. Om, Using MLP and SVM for predicting survival rate of oral cancer patients, *Network Modeling and Analysis in Health Informatics and Bioinformatics*. 3 (2014) 1–10.
- [224] T. Shay, W.L. Lambiv, A. Reiner-Benaim, M.E. Hegi, E. Domany, Combining chromosomal arm status and significantly aberrant genomic locations reveals new cancer subtypes, *Cancer Informatics*. 7 (2009) 91–104.
- [225] A. Shetty, C. Sharma, D. Jeswani, R.K. Pathak, S. Gilani, Medical database, *Asian Journal of Microbiology, Biotechnology and Environmental Sciences*. 12 (2010) 411–416.
- [226] C. Shneerson, R. Windle, K. Cox, Innovating information-delivery for potential clinical trials participants. What do patients want from multi-media resources?, *Patient Education and Counseling*. 90 (2013) 111–117. doi:10.1016/j.pec.2012.06.031.
- [227] L.A. Siminoff, N.H. Gordon, P. Silverman, T. Budd, P.M. Ravdin, A Decision Aid to Assist in Adjuvant Therapy Choices for Breast Cancer, *Psycho-Oncology*. 15 (2006) 1001–1013. doi:10.1002/pon.1040.
- [228] L.A.G.N.H.S.P.T.P.M. Siminoff, A decision aid to assist in adjuvant therapy choices for breast cancer, *Psycho-Oncology*. 15 (11) 1001–1013. doi:10.1002/pon.1040.
- [229] J.M. Simon, G. Noël, J. Chiras, K. Hoang-Xuan, J.Y. Delattre, F. Baillet, J.J. Mazon, Radiotherapy and chemotherapy with or without carbogen and nicotinamide in inoperable biopsy-proven glioblastoma multiforme, *Radiotherapy And Oncology: Journal Of The European Society For Therapeutic Radiology And Oncology*. 67 (2003) 45–51.

- [230] P. Skaane, A. Skjennald, Screen-film mammography versus full-field digital mammography with soft-copy reading: randomized trial in a population-based screening program--the Oslo II Study, *Radiology*. 232 (2004) 197–204.
- [231] J.A. Sloan, D.J. Sargent, J. Lindman, C. Allmer, D. Vargas-Chanes, E.T. Creagan, J.A. Bonner, M.J. O'Connell, R.J. Dalton, K.M. Rowland, B.J. Brooks, J.A. Laurie, A new graphic for quality adjusted life years (Q-TWiST) survival analysis: The Q-TWiST plot, *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*. 11 (2002) 37–45. doi:10.1023/A:1014401516011.
- [232] A. Smith, M. Molinaro, A. Lee, A. Guzman-Alvarez, Thinking with Data, *Science Teacher*. 81 (January 11) 58–63.
- [233] S.L. Smith, Cartesian Genetic Programming and its Application to Medical Diagnosis, *Computational Intelligence Magazine, IEEE*. 6 (2011) 56–67. doi:10.1109/MCI.2011.942583.
- [234] R. Soetikno, S. Sanduleanu, T. Kaltenbach, An atlas of the nonpolypoid colorectal neoplasms in inflammatory bowel disease, *Gastrointestinal Endoscopy Clinics Of North America*. 24 (2014) 483–520. doi:10.1016/j.giec.2014.04.003.
- [235] B.P. Soh, W.M. Reed, A. Poulos, P.C. Brennan, E-tutorial improves students' ability to detect lesions, *Radiologic Technology*. 85 (2013) 17–26.
- [236] A.A. Sokolov, M. Erb, W. Grodd, M.S. Tatagiba, R.S.J. Frackowiak, M.A. Pavlova, Recovery of biological motion perception and network plasticity after cerebellar tumor removal, *Cortex: A Journal Devoted to the Study of the Nervous System and Behavior*. 59 (2014) 146–152. doi:10.1016/j.cortex.2014.05.012.
- [237] A.-K. Solbakk, I. Funderud, M. Løvstad, T. Endestad, T. Meling, M. Lindgren, R.T. Knight, U.M. Krämer, Impact of orbitofrontal lesions on electrophysiological signals in a stop signal task, *Journal of Cognitive Neuroscience*. 26 (2014) 1528–1545. doi:10.1162/jocn_a_00561.
- [238] B. Solomon, C. Bizakis, S.L. Dellis, J.S. Donington, A. Olikier, L.B. Balsam, M. Zervos, A.C. Galloway, H. Pass, E.A. Grossi, Simulating video-assisted thoracoscopic lobectomy: a virtual reality cognitive task simulation, *The Journal Of Thoracic And Cardiovascular Surgery*. 141 (2011) 249–255. doi:10.1016/j.jtcvs.2010.09.014.
- [239] P. Soyer, D. Heath, D.A. Bluemke, M.A. Choti, J.E. Kuhlman, R. Reichle, E.K. Fishman, Three-dimensional helical CT of intrahepatic venous structures: comparison of three rendering techniques, *Journal Of Computer Assisted Tomography*. 20 (1996) 122–127.
- [240] D. Sprague, D.L. LaVallie, F.M. Wolf, C. Jacobsen, K. Sayson, D. Buchwald, Influence of graphic format on comprehension of risk information among American Indians, *Medical Decision Making: An International Journal Of The Society For Medical Decision Making*. 31 (2011) 437–443. doi:10.1177/0272989X10391096.
- [241] A. Sridharan, J.R. Eisenbrey, P. Machado, H. Ojeda-Fournier, A. Wilkes, A. Sevrakov, R.F. Mattrey, K. Wallace, C.L. Chalek, K.E. Thomenius, F. Forsberg, Quantitative analysis of vascular heterogeneity in breast lesions using contrast-enhanced 3-D harmonic and subharmonic ultrasound imaging, *Ultrasonics, Ferroelectrics, and Frequency Control, IEEE Transactions on*. 62 (2015) 502–510. doi:10.1109/TUFFC.2014.006886.
- [242] R. Srivastava, S.O. Asbell, T. LaCouture, N. Kramer, N. Pahlajani, J. Xue, N. Ahmad, Y. Chen, R. Croce, J. Grimm, Low toxicity for lung tumors near the mediastinum treated with stereotactic body radiation therapy, *Practical Radiation Oncology*. 3 (2013) 130–137.
- [243] P.S. Staats, T. Yearwood, S.G. Charapata, R.W. Presley, M.S. Wallace, M. Byas-Smith, R. Fisher, D.A. Bryce, E.A. Mangieri, R.R. Luther, M. Mayo, D. McGuire, D. Ellis, Intrathecal Ziconotide in the Treatment of Refractory Pain in Patients With Cancer or AIDS: A Randomized Controlled Trial, *JAMA: Journal of the American Medical Association*. 291 (2004) 63–70.
- [244] G. Stamatakis, D. Dionysiou, A. Lunzer, R. Belleman, E. Kolokotroni, E. Georgiadi, M. Erdt, J. Pukacki, S. Rueping, S. Giatili, A. d'Onofrio, S. Sfakianakis, K. Marias, C. Desmedt, M. Tsiknakis, N. Graf, The Technologically Integrated Oncosimulator: Combining Multiscale Cancer Modeling With

Information Technology in the In Silico Oncology Context, Biomedical and Health Informatics, IEEE Journal of. 18 (2014) 840–854. doi:10.1109/JBHI.2013.2284276.

[245] A.A. Strasser, H. Orom, K.Z. Tang, R.L. Dumont, J.N. Cappella, L.T. Kozlowski, Graphic-enhanced information improves perceived risks of cigar smoking, *Addictive Behaviors*. 36 (2011) 865–869. doi:10.1016/j.addbeh.2011.03.005.

[246] R. Strobl, E. Grill, U. Mansmann, Graphical modeling of binary data using the LASSO: a simulation study, *BMC Medical Research Methodology*. 12 (2012) 16–16. doi:10.1186/1471-2288-12-16.

[247] G. Svolba, P. Bauer, Statistical quality control in clinical trials, *Controlled Clinical Trials*. 20 (1999) 519–530.

[248] T.S. Tenforde, A guide to mammography and other breast imaging procedures, NCRP Report. (2004) i–345.

[249] L. Terhorst, H. Blair-Belansky, P.J. Moore, C. Bender, Evaluation of the psychometric properties of the BCPT Symptom Checklist with a sample of breast cancer patients before and after adjuvant therapy, *Psycho-Oncology*. 20 (2011) 961–968.

[250] B.C. Thomas, L.E. Carlson, B.D. Bultz, Cancer patient ethnicity and associations with emotional distress—the 6th vital sign: A new look at defining patient ethnicity in a multicultural context, *Journal of Immigrant and Minority Health*. 11 (2009) 237–248. doi:10.1007/s10903-008-9180-0.

[251] L.C. Thomas, Think Visual, *Journal of Web Librarianship*. 6 (January 1) 321–324.

[252] M.D. Thomson, L. Hoffman-Goetz, Readability and cultural sensitivity of web-based patient decision aids for cancer screening and treatment: A systematic review, *Medical Informatics & the Internet in Medicine*. 32 (2007) 263–286. doi:10.1080/14639230701780408.

[253] B.R. Tittmann, C. Miyasaka, E. Maeva, D. Shum, Fine mapping of tissue properties on excised samples of melanoma and skin without the need for histological staining, *Ultrasonics, Ferroelectrics, and Frequency Control*, IEEE Transactions on. 60 (2013) 320–331. doi:10.1109/TUFFC.2013.2568.

[254] M. Tobin, E. Hill, J. Hill, Retinoblastoma and superior verbal IQ scores?, *British Journal of Visual Impairment*. 28 (2010) 7–18. doi:10.1177/0264619609347241.

[255] M. Tsiknakis, M. Brochhausen, J. Nabrzyski, J. Pucacki, S.G. Sfakianakis, G. Potamias, C. Desmedt, D. Kafetzopoulos, A Semantic Grid Infrastructure Enabling Integrated Access and Analysis of Multilevel Biomedical Data in Support of Postgenomic Clinical Trials on Cancer, *Information Technology in Biomedicine*, IEEE Transactions on. 12 (2008) 205–217. doi:10.1109/TITB.2007.903519.

[256] N.J. Tustison, K.L. Shrinidhi, M. Wintermark, C.R. Durst, B.M. Kandel, J.C. Gee, M.C. Grossman, B.B. Avants, Optimal symmetric multimodal templates and concatenated random forests for supervised brain tumor segmentation (simplified) with ANTsR, *Neuroinformatics*. 13 (2015) 209–225. doi:10.1007/s12021-014-9245-2.

[257] R. Udelsman, Surgery in primary hyperparathyroidism: the patient without previous neck surgery, *Journal Of Bone And Mineral Research: The Official Journal Of The American Society For Bone And Mineral Research*. 17 Suppl 2 (2002) N126–N132.

[258] T. Uematsu, M. Kasami, Y. Uchida, Soft-copy reading in digital mammography of microcalcifications: diagnostic performance of a 5-megapixel cathode ray tube monitor versus a 3-megapixel liquid crystal display monitor in a clinical setting, *Acta Radiologica (Stockholm, Sweden: 1987)*. 48 (2007) 714–720.

[259] T. Uematsu, M. Kasami, Soft-copy reading in digital mammography of mass: diagnostic performance of a 5-megapixel cathode ray tube monitor versus a 3-megapixel liquid crystal display monitor in a diagnostic setting, *Acta Radiologica (Stockholm, Sweden: 1987)*. 49 (2008) 623–629. doi:10.1080/02841850802022993.

[260] A. Uno, H. Ishida, K. Konno, Y. Hamashima, H. Naganuma, T. Komatsuda, M. Sato, S. Watanabe, Post-tumoral distorted vascular images: Diagnostic problem of sonogram, *Journal of Medical Ultrasonics*. 28 (2001) 89–96.

- [261] M. Van Kampen, W. De Weerd, H. Van Poppel, D. De Ridder, H. Feys, L. Baert, Effect of pelvic-floor re-education on duration and degree of incontinence after radical prostatectomy: a randomised controlled trial, *Lancet*. 355 (2000) 98–102.
- [262] C. Van Ongeval, Digital mammography for screening and diagnosis of breast cancer: an overview, *JBR-BTR: Organe De La Société Royale Belge De Radiologie (SRBR) = Orgaan Van De Koninklijke Belgische Vereniging Voor Radiologie (KBVR)*. 90 (2007) 163–166.
- [263] C. Varini, A. Degenhard, T.W. Nattkemper, Visual exploratory analysis of DCE-MRI data in breast cancer by dimensional data reduction: A comparative study, *Biomedical Signal Processing and Control*. 1 (2006) 56–63.
- [264] H. Veeraraghavan, J.V. Miller, Faceted visualization of three dimensional neuroanatomy by combining ontology with faceted search, *Neuroinformatics*. 12 (2014) 245–259. doi:10.1007/s12021-013-9202-5.
- [265] J.-B. Wang, Y. Jiang, W.-Q. Wei, G.-H. Yang, Y.-L. Qiao, P. Boffetta, Estimation of cancer incidence and mortality attributable to smoking in China, *Cancer Causes & Control*. 21 (2010) 959–965. doi:10.1007/s10552-010-9523-8.
- [266] P. Wang, G. Robins, P. Pattison, E. Lazega, Exponential random graph models for multilevel networks, *Social Networks*. 35 (2013) 96–115. doi:10.1016/j.socnet.2013.01.004.
- [267] D.V.J.O.D.R.J. Wartenberg, A Microcomputer-Based Vital Records Data Base with Interactive Graphic Assessment for States and Localities, *American Journal of Public Health*. 79 (11) 1531–1538.
- [268] E.A. Waters, N.D. Weinstein, G.A. Colditz, K.M. Emmons, Reducing Aversion to Side Effects in Preventive Medical Treatment Decisions, *Journal of Experimental Psychology: Applied*. 13 (January 3) 11–21.
- [269] L.J. Webb, E. Samei, J.Y. Lo, J.A. Baker, S.V. Ghate, C. Kim, M.S. Soo, R. Walsh, Comparative performance of multiview stereoscopic and mammographic display modalities for breast lesion detection, *Medical Physics*. 38 (2011) 1972–1980.
- [270] D.R. Weiss, C. Eiche, C. Hupke, V.S. Schellerer, A.K. Keller, E.F. Strasser, J. Ringwald, R. Zimmermann, R. Eckstein, The structure of the von Willebrand factor is not altered in patients with colorectal carcinoma, *Colorectal Disease*. 14 (2012) 1500–1506. doi:10.1111/j.1463-1318.2012.03049.x.
- [271] D. h Weng, H. r Xu, A three-dimensional dose calculation method for electron beam irradiation based on CT images, *Chinese Journal of Tissue Engineering Research*. 16 (2012) 5625–5629.
- [272] J.L. Westmaas, L. Abroms, J. Bontemps-Jones, J.E. Bauer, J. Bade, Using the Internet to Understand Smokers' Treatment Preferences: Informing Strategies to Increase Demand, *Journal of Medical Internet Research*. 13 (2011) 14–14. doi:10.2196/jmir.1666.
- [273] H. Wickham, D. Cook, H. Hofmann, A. Buja, Graphical inference for Infovis, *IEEE Transactions On Visualization And Computer Graphics*. 16 (2010) 973–979. doi:10.1109/TVCG.2010.161.
- [274] H.O. Witteman, B.J. Zikmund-Fisher, E.A. Waters, T. Gavaruzzi, A. Fagerlin, Risk estimates from an online risk calculator are more believable and recalled better when expressed as integers, *Journal Of Medical Internet Research*. 13 (2011) e54–e54. doi:10.2196/jmir.1656.
- [275] S.E. Wolpin, B. Halpenny, G. Whitman, J. McReynolds, M. Stewart, W.B. Lober, D.L. Berry, Development and usability testing of a web-based cancer symptom and quality-of-life support intervention, *Health Informatics Journal*. 21 (2015) 10–23. doi:10.1177/1460458213495744.
- [276] H. Yada, N. Taniguchi, K. Itoh, Y. Wang, F. Kawai, H. Nagai, K. Kanazawa, M. Nakamura, Thyroid tumors' vascularity quantified by power-mode Doppler scanning helps to differentiate their neoplastic characteristics, *Ultrasound International*. 4 (1998) 63–73.
- [277] C.S. Yao, E.L. Merz, M. Nakaji, K.M. Harry, V.L. Malcarne, G.R. Sadler, Cervical cancer control: Deaf and hearing women's response to an educational video, *Journal of Cancer Education*. 27 (2012) 62–66. doi:10.1007/s13187-011-0264-5.

- [278] W. Yue, L. Jianping, R. Lee, G. Zhiping, R. Clarke, Iterative normalization of cDNA microarray data, *Information Technology in Biomedicine, IEEE Transactions on*. 6 (2002) 29–37. doi:10.1109/4233.992159.
- [279] W. Zhang, X. Li, J. Zhang, A. Luft, D.F. Hanley, P. van Zijl, M.I. Miller, L. Younes, S. Mori, Landmark-referenced voxel-based analysis of diffusion tensor images of the brainstem white matter tracts: Application in patients with middle cerebral artery stroke, *NeuroImage*. 44 (2009) 906–913. doi:10.1016/j.neuroimage.2008.09.013.
- [280] B.J. Zikmund-Fisher, M.P. Couper, E. Singer, P.A. Ubel, S. Zinzel, F.J. Fowler Jr., C.A. Levin, A. Fagerlin, Deficits and variations in patients' experience with making 9 common medical decisions: The DECISIONS survey, *Medical Decision Making*. 30 (2010) 85S–95S. doi:10.1177/0272989X10380466.
- [281] M.L. Zuley, K.M. Willison, E. Bonaccio, D.P. Miller, D.L. Leong, P.J. Seifert, P. Somerville, S. Destounis, Full-field digital mammography on LCD versus CRT monitors, *AJR. American Journal Of Roentgenology*. 187 (2006) 1492–1498.
- [282] L. Zuo, L. Li, Q. Wang, T.P. Fleming, S. You, Mammaglobin as a potential molecular target for breast cancer drug delivery, *Cancer Cell International*. 9 (2009). <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2009164662>.
- [283] R. Zwiggelaar, T.C. Parr, J.E. Schumm, I.W. Hutt, C.J. Taylor, S.M. Astley, C.R. Boggis, Model-based detection of spiculated lesions in mammograms, *Medical Image Analysis*. 3 (1999) 39–62.
- [284] Mapping clinical phenotype data elements to standardized metadata repositories and controlled terminologies: the eMERGE Network experience, *Journal of the American Medical Informatics Association*. 18 (2011) 376–386. doi:10.1136/amiajnl-2010-000061.
- [285] 3D IMAGING OF MAMMALIAN CELLS WITH ION-ABRASION SCANNING ELECTRON MICROSCOPY, *Science*. 321 (9) 1771–1771.
- [286] *Clinical Science, Epilepsia (Series 4)*. 46 (9) 1344–1348. doi:10.1111/j.1528-1167.2005.00095_2.x.